

since
1955



BIYOTEKNİK

PRODUCT CATALOG



TABLE OF CONTENTS

MEDICAL PRODUCTS

BIYOTOKS CONCENTRATE FOR DIP SOLUTION - VETERINARY ECTOPARASITICIDE (Insecticide - Acaricide) 100 ml - 500 ml - 1000 ml - 5 kg	20
DEKATOKS CONCENTRATE FOR DIP EMULSION - VETERINARY ECTOPARASITICIDE (Insecticide - Acaricide) 100 ml - 500 ml - 1000 ml - 5 lt	22
FLUMET POUR-ON SOLUTION - ECTOPARASITICIDE (Insecticide - Acaricide) 100 ml - 500 ml	24
BIYOLINE CAT SPOT-ON SOLUTION - FOR CATS / ECTOPARASITICIDE (Insecticide - Acaricide) 0.50 ml	26
BIYOLINE DOG SPOT-ON SOLUTION - FOR DOGS / ECTOPARASITICIDE (Insecticide - Acaricide) 0.67 ml - 1.34 ml - 2.68 ml - 4.02 ml	28
IMIDA SPOT-ON SOLUTION - FOR CATS AND DOGS / ECTOPARASITICIDE (Insecticide) 0.4 ml - 1 ml - 2.5 ml - 4 ml	30
AVIDIARE ORAL SOLUTION - VETERINARY INTESTINAL ANTIBACTERIAL FOR CAGE BIRDS 20 cc	32

BIOCIDAL PRODUCTS

SIPERTOKS EMULSION CONCENTRATE (EC) / PRODUCT TYPE (18) INSECTICIDE 100 ml - 500 ml - 1000 ml	36
PERGRAN GRANULATED PRODUCT TYPE (18) INSECTICIDE 100 g - 250 g - 500 g - 1000 g	38
BIYOPET AEROSOL PRODUCT TYPE (18) INSECTICIDE - FOR CATS, DOGS AND BIRDS 150 ml	40

NON-MEDICAL PRODUCTS

• POMADES • CARE PRODUCTS

BIYO ICHTHYODERM CREAM - SKIN CARE PRODUCT 80 g - 100 g	44
BIYO IYODERM CREAM - SKIN CARE PRODUCT 80 g - 100 g	46
BIYO KAMFODERM CREAM - SKIN CARE PRODUCT 80 g - 100 g	48
BIYO SALIDERM CREAM - SKIN CARE PRODUCT 80 g - 100 g	50
BIYO RIVODERM CREAM - SKIN CARE PRODUCT 80 g - 100 g	52
BIYO ZINCODERM SKIN CARE CREAM 80 g - 100 g	54
TRICOBOR SKIN CARE CREAM 10 g - 80 g - 100 g	56
CLIMBOZINC CARE CREAM 80 g - 100 g	58

KREOLIN CLAW AND HOOF CARE SOLUTION
100 g - 250 g - 500 g - 1000 g - 17 kg 60

BIYO-MAST LOTION - UDDER CARE PRODUCT
100 g - 250 g - 500 g - 1000 g 62

BORDUST POWDER SKIN CARE PRODUCT
100 g - 250 g - 500 g - 1000 g 64

• PREMIXES

VIOMIX VITAMIN - MINERAL FOR RUMINANTS
1 kg - 5 kg - 20 kg 68

VIOSACC VITAMIN - MINERAL / PROBIOTIC POWDER FOR RUMINANTS
1 kg - 5 kg - 20 kg 70

KALFOMIN MINERAL - PROBIOTIC FOR RUMINANTS
1 kg - 20 kg 72

KALFOMIN LIQUID AMINO ACID AND MINERAL SOLUTION
1 l - 20 l 74

BIYOMIX FEED SUPPLEMENT FOR RUMINANTS
5 kg - 20 kg 76

BIOSACC VITAMIN - MINERAL / PROBIOTIC POWDER FOR RUMINANTS
5 kg - 20 kg 78

VIOMIN-B CONCENTRATED FEED SUPPLEMENT / VITAMIN - MINERAL POWDER FOR RUMINANTS
1 kg - 5 kg - 25 kg 80

VIOMIN-E VITAMIN - MINERAL / AMINO ACID POWDER FOR RUMINANTS
1 kg - 5 kg - 10 kg - 15 kg - 20 kg - 25 kg 82

VITHORSE VITAMIN - MINERAL / AMINO ACID POWDER FOR HORSES
1 kg - 5 kg - 10 kg - 15 kg - 20 kg - 25 kg - 30 kg - 50 kg 84

BIYO EVIT-SE VITAMIN - MINERAL / SUPPLEMENTARY FEED FOR DRINKING WATERS
100 g 86

BIYO AVIT-K VITAMIN / SUPPLEMENTARY FEED FOR DRINKING WATERS
100 g - 1 kg 88

VIOSOL-K MULTIVITAMIN POWDER FOR POULTRY
50 g - 100 g 90

BIYO MULTIVIT MULTIVITAMIN POWDER
100 g 92

PRODIGEST INTESTINAL FLORA REGULATING PROBIOTIC / MINERAL POWDER
190 g 94

BIYO CARLSBAD SUPPLEMENTARY MINERAL FEED - POWDER
250 g - 500 g 96

BIYO MAGNESIE SUPPLEMENTARY MINERAL FEED - POWDER
250 g - 500 g 98

BIYO-EPSON SUPPLEMENTARY MINERAL FEED - POWDER
250 g - 500 g 100

BIYOCAL SUPPLEMENTARY MINERAL FEED - LIQUID
500 g 102

BIYODIARE SUPPLEMENTARY DIETETIC FEED FOR SPECIAL FEEDING PURPOSE - POWDER
100 g 104

BISMOLIN DIGESTIVE SYSTEM SUPPLEMENTARY FEED / ORAL POWDER
50 g 106

ARISOL MULTIVITAMIN FOR HONEY BEES - POWDER
100 g 108

PET PRODUCTS - CATS AND DOGS

• SHAMPOOS

BIYO DERMACURE CLIMBOPET SHAMPOO - SKIN AND HAIR CARE PRODUCT
250 ml 112

BIYO DERMACURE TRICOBOR SKIN CARE SHAMPOO
250 ml - 500 ml - 1000 ml 114

BIYO DERMACURE HERBIO SHAMPOO - SKIN / HAIR CARE
250 ml 116

BIYO DERMACURE CURLY CARE SHAMPOO FOR DOGS WITH THICK AND CURLY HAIR
250 ml 118

BIYO DERMACURE FRESH CARE SHAMPOO WITH DEODORANT
250 ml 120

BIYO DERMACURE WHITE CARE SHAMPOO FOR WHITE DOGS
250 ml 122

BIYO DERMACURE BLACK CARE SHAMPOO FOR BLACK DOGS
250 ml 124

BIYO DERMACURE COMFORT CARE SHAMPOO
250 ml 126

BIYO DERMACURE PUPPY CARE SHAMPOO FOR PUPPIES
250 ml 128

BIYO DERMACURE PET-DUST DRY POWDER DRY SHAMPOO
100 g 130

BIYO DERMACURE HERBIO DRY FOAM DRY FOAM SHAMPOO
250 ml 132

BIYO DERMACURE DRY FOAM DRY FOAM SHAMPOO
250 ml 134

• CARE PRODUCTS

BIYO DERMACURE CAT-LINE SKIN AND HAIR CARE PRODUCT
1 ml 138

BIYO DERMACURE DOG-LINE SKIN AND HAIR CARE PRODUCT
1 ml - 2 ml - 4 ml 140

BIYO TRAINER SPRAY FOR TOILET TRAINING
100 ml 142

BIYO DERMACURE EAR CLEANER SOLUTION - EAR CARE PRODUCT
50 ml - 100 ml 144

BIYO DERMACURE EYE CLEANER SOLUTION - EYE CARE PRODUCT
50 ml - 100 ml 146

BIYO DENTACURE CLEANTEETH MOUTH AND TEETH CARE SOLUTION
250 ml 148

BIYO DERMACURE HERBIO CATSPRAY SOLUTION FOR SPRAY - SKIN / HAIR CARE PRODUCT
50 ml - 100 ml - 150 ml - 200 ml 150

BIYO DERMACURE HERBIO DOGSPRAY SOLUTION FOR SPRAY - SKIN / HAIR CARE PRODUCT
50 ml - 100 ml - 150 ml - 200 ml 152

• VITAMINS

BIYO POWERCURE DOG-VIT MULTIVITAMIN - POWDER
50 g 156

BIYO POWERCURE DOG-VIT ONE-A-DAY MULTIVITAMIN TABLET FOR DOGS
60 Tablets 158

BIYO POWERCURE CAT-VIT MULTIVITAMIN FOR CATS - POWDER 50 g	160
BIYO POWERCURE CAT-VIT ONE-A-DAY MULTIVITAMIN TABLET FOR CATS 60 Tablets	162
BIYO POWERCURE CALCIVIT-D CALCIUM - PHOSPHOROUS - VITAMIN POWDER D ₃ FOR CATS AND DOGS 50 g	164
BIYO POWERCURE CALCIVIT-D ONE-A-DAY CALCIUM - PHOSPHOROUS - VITAMIN D ₃ FOR CATS AND DOGS 60 Tablets	166
BIYO POWERCURE BREWER'S YEAST ONE-A-DAY BREWER'S YEAST TABLET WITH GARLIC FOR CATS AND DOGS 60 Tablets	168
BIYO POWERCURE METHIO ONE-A-DAY AMINO ACID AND VITAMIN TABLET FOR CATS AND DOGS 60 Tablets	170
BIYO POWERCURE BIYOFLEX ONE-A-DAY PELVIS AND JOINT ENHANCER VITAMIN TABLET FOR CATS AND DOGS 30 Tablets	172
BIYO POWERCURE BIYOTAN ONE-A-DAY VITAMIN TABLET FOR CATS AND DOGS 60 Tablets	174
BIYO POWERCURE ANESTAN ONE-A-DAY NERVOUS SYSTEM SUPPORT TABLET FOR CATS AND DOGS 30 Tablets	176
BIYO POWERCURE CAT-FORMULA SUPPLEMENTARY FEED FOR KITTENS 200 g	178
BIYO POWERCURE DOG-FORMULA SUPPLEMENTARY FEED FOR PUPPIES 200 g	180
BIYO POWERCURE MULTIDOG LIQUID SUPPLEMENTARY FEED / 30-DAY MONODOSE USE 2 ml x 15 Units	182

ORNAMENTAL AND CAGE BIRDS

• CARE PRODUCTS

BITTER BEAK SPRAY - ANTI-CANNIBALISM 100 ml - 250 ml	186
AVISENCID SOLUTION - SKIN AND FEATHER CARE PRODUCT 10 cc - 20 cc - 30 cc	188
BIYO DERMACURE HERBIO AVISPRAY SOLUTION FOR SPRAY - SKIN AND FEATHER CARE PRODUCT 100 ml - 250 ml	190

• PREMIXES

AVI-AST SOLUTION - RESPIRATORY SYSTEM ENHANCER FOR CAGE BIRDS 30 cc	192
AVI-DIAR SOLUTION - DIGESTIVE SYSTEM ENHANCER FOR CAGE BIRDS 30 cc	194
AVISOL-A SOLUTION - VITAMIN FOR BIRDS 20 cc	196
AVISOL-B SOLUTION - VITAMIN B-COMPLEX FOR BIRDS 30 cc	198
AVISOL-PLUS SOLUTION - MULTIVITAMIN FOR BIRDS 20 cc	200
AVISOL-SE SOLUTION - VITAMIN-E AND SELENIUM FOR BIRDS 30 cc	202
AVIMINERAL SOLUTION - MINERAL FOR BIRDS 30 cc	204
AVI-VIT MULTIVITAMIN FOR BIRDS - POWDER 50 g	206

FISH AND AQUARIUM

BIYO-AQUACURE CONTRABLUE SOLUTION - AQUARIUM WATER REGULATOR 50 ml - 100 ml	210
BIYO-AQUACURE CONTRA SOLUTION - AQUARIUM WATER REGULATOR 30 ml - 50 ml - 100 ml - 1000 ml	212
BIYO-AQUACURE NITROFUR SOLUTION - AQUARIUM WATER REGULATOR 50 ml - 100 ml - 1000 ml	214
BIYO-AQUACURE TONIC SOLUTION - AQUARIUM WATER REGULATOR 30 ml - 50 ml - 100 ml - 1000 ml	216
BIYO-AQUACURE BIYOPUR SOLUTION - AQUARIUM WATER REGULATOR 50 ml - 100 ml - 500 ml - 1000 ml	218
BIYO-SALYOCID SOLUTION - AQUARIUM WATER REGULATOR / SNAIL REMOVER 30 ml - 50 ml - 100 ml - 1000 ml	220
BIYO-ALGICID SOLUTION - AQUARIUM WATER REGULATOR / ALGAE REMOVER 30 ml - 50 ml - 100 ml - 1000 ml	222
BIYO-AQUACLEAN SOLUTION - AQUARIUM WATER REGULATOR 20 ml - 50 ml - 100 ml	224
BIYO-SAFE SOLUTION - AQUARIUM WATER REGULATOR 30 ml - 50 ml - 100 ml - 1000 ml	226
VITAFISH SOLUTION - MULTIVITAMIN FOR AQUARIUM FISH 20 cc - 30 cc - 50 cc - 100 cc - 125 cc - 250 cc - 500 cc - 1000 cc	228

NEW PRODUCT

FERMACAT HAIRBALL PREVENTIVE FOR CATS - SUPPLEMENTARY FEED 80 g - 100 g	232
MINICAT VITAMIN PASTE FOR KITTENS 50 g - 80 g	234
MINIDOG VITAMIN PASTE FOR PUPPIES 50 g - 80 g	236
BIGCAT VITAMIN PASTE FOR ADULT CATS 50 g - 80 g	238
BIGDOG VITAMIN PASTE FOR ADULT DOGS 50 g - 80 g	240
VERAXIN SPRAY SOLUTION - MOUTH AND TEETH CARE PRODUCT 30 ml - 50 ml - 100 ml - 250 ml - 500 ml	242
BIYO KAMFODERM NEW CREAM - SKIN CARE PRODUCT 80 g - 100 g	244
ARISOL PLUS MULTIVITAMIN FOR HONEY BEES 100 g	246

since
1955



ABOUT US



Biyoteknik, a well-established company dating back to 1955, is involved in production of veterinary pharmaceuticals, feed additives and pet pharmaceuticals since 1977. Confidently standing on vast knowledge and experience acquired throughout 65 years, Biyoteknik manufactures 101 non-pharmaceutical licensed products and 10 veterinary-pharmaceutical licensed products and owns 70 registered trademarks.

Headquartered in İstanbul, Biyoteknik reaches out its clientele through its wide sales network covering the whole country. Biyoteknik launched its new GMP certified manufacturing facility at Kırklareli Organized Industrial Zone in 2018 and relocated the non-pharmaceuticals production facility at Arnavutköy to Kırklareli Organized Industrial Zone early 2021 and resumed production. The company continues to lead the development of new products in its own sector and offer its customers the best by accelerating its R&D and P&D works day by day.



MEDICAL PRODUCTS





BIYOTOKS

CONCENTRATE FOR DIP SOLUTION VETERINARY ECTOPARASITICIDE (Insecticide - Acaricide) 100 ml - 500 ml - 1000 ml - 5 kg



COMPOSITION: 100 ml of BIYOTOKS Emulsion, which is light yellow in color and has a peculiar odor, contains 7.5 gr Cypermethrin (cis:trans 50:50).

USAGE AREA/INDICATIONS: BIYOTOKS is used against ticks, itch mite, and blood-sucking lice in combat against the following ectoparasites of cattle, sheep, goats, horses, and dogs.

Ticks (Ixodidae)			Mange Agents (Acari)	Lice
Amblyomma spp. A. Variegatum	Haemaphysalis spp. H. Otophila H. Sulcata H. Numidiana	Ixodes spp. I. Ricinus I. Hexagonus	Mange Agents: (Acari) Psoroptes spp. Sarcoptes spp. Chorioptes spp.	Haematopinus spp. Linognathus spp. L. Ovis L. Vituli
Boophilus spp. B. Annulatus	Hyalomma spp. H. Anatolicum H. Detritum	Rhipicephalus R. Sanguineus R. Turanicus	On Dogs: (Acari) Demodex canis	Damalinia spp. D. Bovis D. Ovis Melophagus Ovinus
Dermacentor spp. D. Marginatus		Ornithodoros spp. O. Lahorensis		

POSOLOGY AND DOSAGE: BIYOTOKS is applied externally by bathing, spraying, or washing. BIYOTOKS is used as a homogeneous mixture by adding water at rates as specified in the following table. Unless otherwise recommended by the veterinary physician, the dosage is as specified in the table.

Animal Species	Parasite Species	Mode of Administration	BIYOTOKS Administration
Cattle, sheep, goat, and horse	Louse, flea, tick, itch mites, face fly, horn fly, gadfly, spinose ear tick, stable fly, flesh fly, mosquito.	Repeat bathing, spraying, or washing 14-21 days later for lice and mange.	20 ml / 20 l water 200 ml / 200 l water 1000 ml / 1000 l water
	Horn fly, face fly, spinose ear tick.	Apply locally 15 ml into each ear, 60-120 ml to face, and 360-480 ml along the back by using a low-pressure sprayer.	75 ml / 5 l water
Dogs	Ticks, itch mites, lice, fleas, and all kinds of flies.	Wet the animal completely by spraying, bathing, or wiping with a sponge. Neither rinse nor dry the animal with a towel; let it dry itself in a warm place. In this way, you prevent the animal from getting infected again. Repeat the process 2-3 weeks later if necessary.	10 ml / 2.5 l water 100 ml / 25 l water

PRESENTATION: It is available in 500 ml and 1,000 ml coex bottles, 100 ml coex bottles in cardboard boxes, 5 kg coex jerry cans, and 5 kg tin cans.

AVAILABILITY: Available by veterinary prescription only in pharmacies and veterinary offices.



DEKATOKS

**CONCENTRATE FOR DIP EMULSION
VETERINARY ECTOPARASITICIDE (Insecticide - Acaricide)
100 ml - 500 ml - 1000 ml - 5 lt**



COMPOSITION: Each ml of DEKATOKS, which is a clear, yellow-brown concentrate for dip emulsion, contains 50 mg Deltamethrin.

USAGE AREA AND INDICATIONS: DEKATOKS is used to combat against ticks (egg, larva, adult), lice, mange agents on cattle and sheep, repel tsetse fly and the other harmful flies, and prevent infestation of the animals with fly larvae.

POSOLOGY AND DOSAGE: DEKATOKS concentrate is administered by using one of the dipping, spraying, or washing methods. Unless otherwise recommended by the veterinary physician, the dosage specified in the following table is applied.

For cattle	0.25 - 1.5 mg / kg live weight (repeated every 3-6 weeks when necessary)
For sheep	0.94 - 4.5 mg / kg live weight (repeated 10-21 days later when necessary)

For preparing the dip solution, use 1 liter DEKATOKS per 1,000 liter water in the dipping tub. For preparing the wash and spray solutions, use 1 ml DEKATOKS per 1 liter water.



PRESENTATION: It is available in 100, 500, 1,000 ml coex bottles in cardboard box and 5-liter coex jerry cans.

AVAILABILITY: Available by veterinary prescription (VP) only in veterinary offices and pharmacies.



FLUMET

POUR-ON SOLUTION ECTOPARASITICIDE (Insecticide - Acaricide) 100 ml - 500 ml



COMPOSITION: 1 ml FLUMET Pour-on Solution contains 10 mg Flumethrin. It is a yellowish to light brown solution.

USAGE AREA & INDICATIONS: FLUMET Pour-on Solution is used against the tick, louse, and sarcoptes types found in the lower parts during the maturing and growth periods of cattle and sheep as well as against the demodex mange in dogs.

Ticks	Sucking and Stinging Lice	Mange
Boophilus spp.	Haematophinus sternus	Psoroptes ovis
Hyalomma spp.	Linognathus vituli	Demodex canis
Rhipicephalus spp.	Bovicola bovis,	
Amblyomma spp.	B. ovis,	
Dermacentor marginatus	Melophagus ovinus	

POSOLOGY AND DOSAGE: The dosage of FLUMET Pour-on Solution depends on the type of parasite on the animal. Unless otherwise suggested by the veterinary physician, the dosage is 1 mg/kg live weight against ticks and stinging lice, and 2 mg/kg live weight against sucking lice and psoroptes mites.

For cattle: Pour FLUMET Pour-on Solution along the spine of the animal, from shoulders to tailbone. The following doses can be administered correctly by using the measuring tool in the package.

Cattle Live Weight	FLUMET
Below 100 kg	10 ml
100 to 200 kg	20 ml
200 to 300 kg	30 ml
300 to 400 kg	40 ml
More than 400 kg	50 ml

FLUMET Pour-on Solution is used on sheep in two ways.

For Sheep/ 1st way: On the newly shorn sheep, pour it along the spine from shoulders to tailbone, as is the case with cattle. If the sheep has still long hair or fleece, part the dorsal fleece or hair with your hand and pour the medicine on the exposed line of skin.

For Sheep/ 2nd way: Alternatively, it can be administered by making the animal sitting on its hips. When the animal sits on its hips, pour the medicine on as many points as possible in the fleece- or hair-free regions on both sides of its abdomen and between its front and hind legs. For this method, it is sufficient to use a 5 ml plastic syringe without needle. Draw the applicable dose into the syringe, and apply it to the animal as described above.

Sheep Live Weight	FLUMET
10 kg	1.0 ml
15 kg	1.5 ml
20 kg	2.0 ml
30 kg	3.0 ml
40 kg	4.0 ml
50 kg	5.0 ml



Psoroptic Mange: If the cattle and sheep have this type of mange and lice, double the above-mentioned doses.

Dogs: The dose to be administered in combat against demodex mange is 1 ml / 10 kg live weight. You can administer the product directly to mange-infected parts, or pour it along the spine from the part of head behind ears to tailbone.

Administration in Winters: If the drug is applied in the young periods of the multi-host ticks, when they are very active in winter especially, the tick density that causes infestation of the animals in the oncoming summer season falls considerably, thus having taken an effective precaution.

PRESENTATION: It is available in 100 ml, 100 ml, and 500 ml PE bottles in cardboard box.

AVAILABILITY: Available by veterinary prescription (VP) only in pharmacies, veterinary offices, and polyclinics.



BIYOLINE CAT

SPOT-ON SOLUTION - ECTOPARASITICIDE FOR CATS (Insecticide - Acaricide) 0.50 ml




COMPOSITION: Each microtube contains 10% a/h Fipronil and 12% a/h S-Methoprene active substances.

USAGE AREA/INDICATIONS: It is used on cats against the following ectoparasites that are vulnerable to Fipronil and (S)-Methoprene.

Flea	Tick	Chewing Lice
Ctenocephalides felis	Ixodes ricinus Rhipicephalus sanguineus	Felicola subrostratus

It is used in protection against and treatment of flea, tick infestations as well as elimination of chewing lice. Besides, it is used to stop the embryonic development of the eggs of the adult fleas that contact the insecticide (ovicidal effect), to stop the larval and pupal developments of fleas (larvicidal effect), and to get the flea allergy dermatitis (FAD) under control, for 6 weeks following the administration.

POSOLOGY AND DOSAGE: Applied topically (directly to the skin). Part the hair between the shoulders of the cat standing straight so as to expose its skin. Hold the tube so that its mouth touches the skin, and discharge the contents of the tube between the shoulders in 2 equal amounts or so as to form a line. For cats, the minimum therapeutic dose administered pharmacologically is 5 mg/kg live weight for Fipronil and 6 mg/kg live weight for (S)-Methoprene. The practical dosages have been adjusted to be higher than these levels. 0.5 ml equals to 1 microtube for all cats regardless of body live weight.



PRESENTATION: It is available in 0.50 ml microtubes in cardboard boxes containing 3, 4, 5, 6, 8, or 10 microtubes.

AVAILABILITY: Available by veterinary prescription only in pharmacies, veterinary offices, and polyclinics.



**SPOT-ON SOLUTION - ECTOPARASITICIDE FOR DOGS
(Insecticide - Acaricide)
0.67 ml - 1.34 ml - 2.68 ml - 4.02 ml**



COMPOSITION: Each microtube contains 10% a/h Fipronil and 9% a/h S-Methoprene active substances.

USAGE AREA/INDICATIONS: It is used on dogs against the following ectoparasites that are vulnerable to Fipronil and (S)-Methoprene.

Flea	Tick	Chewing Lice
Ctenocephalides canis	Ixodes ricinus Rhipicephalus sanguineus Dermacentor marginatus	Trichodectes canis

It is used in protection against and treatment of flea, tick infestations as well as elimination of chewing lice. Besides, it is used to stop the embryonic development of the eggs of the adult fleas that contact the insecticide (ovicidal effect), to stop the larval and pupal developments of fleas (larvicidal effect), and to get the flea allergy dermatitis (FAD) under control, for 8 weeks following the application.

POSOLOGY AND DOSAGE: Applied topically (directly to the skin). Part the hair between the shoulders of the dog standing straight so as to expose its skin. Hold the tube so that its mouth touches the skin, and discharge the contents of the tube at 4 different points from shoulders to tailbone in equal amounts. For dogs, the minimum therapeutic dose applied pharmacologically is 6.7 mg/kg live weight for Fipronil and 6 mg/kg live weight for (S)-Methoprene. The practical dosages are 0.67 ml, 1.34 ml, 2.68 ml, or 4.02 ml depending on the dog's weight, which correspond to 1 microtube.

Animal's Weight	Dose to be Administered Fipronil: (S)-Methoprene	Microtube
Less than 10 kg	67 mg Fipronil: 60 mg (S)-Methoprene	0.67 ml
10 - 20 kg	134 mg Fipronil: 121 mg (S)-Methoprene	1.34 ml
20 - 40 kg	268 mg Fipronil: 240 mg (S)-Methoprene	2.68 ml
40 - 60 kg	402 mg Fipronil: 360 mg (S)-Methoprene	4.02 ml



PRESENTATION: It is available in 0.67 ml, 1.34 ml, 2.68 ml, and 4.02 ml microtubes in cardboard boxes containing 3, 4, 5, 6, 8, or 10 microtubes.

AVAILABILITY: Available by veterinary prescription only in pharmacies, veterinary offices, and polyclinics.



IMIDA



**SPOT-ON SOLUTION - FOR CATS AND DOGS
ECTOPARASITICIDE (Insecticide)
0.4 ml - 1 ml - 2.5 ml - 4 ml**




COMPOSITION: 100 ml contains 10 g Imidacloprid. It is a colorless-very light yellowish, homogeneous solution with an oily appearance.

USAGE AREA & INDICATIONS: IMIDA Spot-on Solution eliminates the flea infestation of dogs and cats in a single administration, and prevents the new flea infestations for minimum 4 weeks. All fleas on the animal die just one day after the administration of the medicine, and the animal is protected for four weeks.

POSOLGY AND DOSAGE: Offered in microtube, IMIDA Spot-on Solution can be administered very easily. Part the hair between the shoulders of the cat or dog standing straight so as to expose its skin. Hold the microtube so that its mouth touches the skin, and discharge the contents of the tube at 2 different points between the shoulders in equal amounts or so as to form a line. Administer the product to the healthy part of the skin only. Use the following table for the dosage that corresponds to the live weights of the animals.

Live Weight / Animal	Microtube	Dropping Bottle	mg/kg Live Weight
0-4 kg / cat and dog	1 unit of 0.4 ml microtube	8 drops	> 10 mg
More than 4 kg / cat	2 units of 0.4 ml microtube	16 drops	< 20 mg
4-10 kg / dog	1 unit of 1.0 ml microtube	20 drops	10-25 mg
10-25 kg / dog	1 unit of 2.5 ml microtube	50 drops	10-25 mg
25-40 kg / dog	1 unit of 4.0 ml microtube	80 drops	10-16 mg
More than 40 kg / dog	2 units of 4.0 ml microtube	160 drops	< 20 mg

IMIDA Spot-on Solution terminates the fleas on dogs and cats within 24 hours following the administration. Single administration prevents the new flea infestations for minimum 4 weeks. For an ideal protection and combat against fleas, IMIDA Spot-on Solution must be administered once a month. Even if the animal is washed and/or exposed to rain or direct sunlight, IMIDA Spot-on Solution continues to be effective. If you need to repeat the dose in a period shorter than 4 weeks, you must not apply it more frequently than once a week.



PRESENTATION: It is available in 0.4 ml, 1 ml, 2.5 ml, 4 ml microtubes in cardboard boxes that include 3, 4, or 5 tubes, and 30 ml dropping plastic bottles in cardboard boxes.

AVAILABILITY: Available by veterinary prescription only in pharmacies, veterinary offices, and polyclinics.

BIOCIDAL PRODUCTS





SIPERTOKS

**EMULSION CONCENTRATE (EC)
PRODUCT TYPE (18) INSECTICIDE
100 ml - 500 ml - 1000 ml**



COMPOSITION: SIPERTOKS contains 7.5% a/a Cypermethrin.

POSOLOGY: SIPERTOKS Emulsion Concentrate (EC) is applied to animal shelters like barn, sheepfold, box, poultry coops and roosts against ticks, lice, fleas through direct spraying or pulverization. It can be used by adding into water at ratios specified in the table, depending on the application area. There must be no animal, feed trough or waterer in the shelters and coops during the application.

USAGE AREA: Box and cage.

APPLICABLE AGAINST:

Pest Species Life Cycle	Area and Mode of Application	Dosage of Application	Frequency of Application
Tick	Spraying or pulverization in the empty and closed barns, sheepfolds, boxes, dog shelters, and the poultry coops and roosts	26.6 ml/m ² final product is applied by using 1% solution (1 l product is added to 99 l water). (0.02 g Cypermethrin/ m ²)	When needed
Louse			
Flea			



PRESENTATION: It is available in 100 ml, 500 ml, and 1000 ml coex bottles.



PERGRAN GRANULATED

PRODUCT TYPE (18) INSECTICIDE
100 g - 250 g - 500 g - 1000 g



POSOLGY: PERGRAN Granulated is applied to animal shelters like barn, sheepfold, box, etc. and poultry coops and roosts by sprinkling directly to combat the vermin specified in the table. It can be used in the amounts specified in the table, depending on the application area. There must be no feed trough or waterer in the shelters and coops during the application. After keeping the area closed for 30 min. following the application, ventilate the empty indoor space for half an hour, and clean the product residues remaining after the application. Prevent the animals from contacting or eating the product.

APPLICABLE AGAINST:

Pest Species Life Cycle	Area and Mode of Application	Dosage of Application	Active Substance Dose	Frequency of Application
Tick	Sprinkled in empty indoor space.	20 g product / m ²	0.1 g - a.i. / m ²	When needed
Louse		20 g product / m ²	0.1 g - a.i. / m ²	
Flea		20 g product / m ²	0.1 g - a.i. / m ²	
Ant		30 g product / m ²	0.15 g - a.i. / m ²	



PRESENTATION: It is available in 100 g, 250 g, 500 g, and 1000 g sprinkler PE bottles.

* Our Pergran Granulated 100 g product has another version in the same package, which targets ants only.

NON-MEDICAL PRODUCTS

• POMADES • CARE PRODUCTS





CREAM - SKIN CARE PRODUCT
80 g - 100 g



COMPOSITION: Biyo ICHTHYODERM Cream is a black, oil-free cream that contains Ichthylol and has a characteristic odor.

INTENDED USE: Biyo ICHTHYODERM Cream is a cream prepared as a skin care product. It has softening, sedative, mildly antiseptic, and abscess ripening properties. In case of various skin diseases of cats, dogs, horses, ovines, and bovines, it's an adjuvant therapy to main treatment for eliminating the oily scab, dry scab, and follicle scab growing on their skins. It accelerates the treatment of the animal by ensuring that the emerging abscesses ripen faster. It eliminates the itch. It eliminates comedones trapped in the oil follicles in the skin. It is mildly antiseptic against dermatitis. It softens the skin; so it is suitable for using as softener on the breast skin in case of mastitis.

POSOLOGY AND DOSAGE: Before applying Biyo ICHTHYODERM Cream, the application area must be washed with soap and water, and then dried. Biyo ICHTHYODERM Cream is spread over the application area as a thin layer thrice a day.



PRESENTATION: It is available in 80 g aluminum tubes in cardboard boxes, and in 100 g jars.



BIYO IYODERM

CREAM - SKIN CARE PRODUCT
80 g - 100 g



COMPOSITION: Biyo IYODERM Cream is a dark brown, oil-free cream that contains iodine and potassium iodide, and has a characteristic odor.

INTENDED USE: Biyo IYODERM Cream is a cream prepared as a skin care product for cats, dogs, horses, ovines and bovines. Thanks to being resolutive and revulsive, it helps to heal the skin lumps caused by trauma. It is topically irritant. It is used as preservative in case of superficial wounds, skin irritation, insect bites, and small bruises.

POSOLGY AND DOSAGE: Before applying Biyo IYODERM Cream, the application area must be washed with soap and water and then dried. Administer Biyo IYODERM Cream for 3-4 days as a thin layer. Repeat the procedure if necessary.



PRESENTATION: It is available in 80 g aluminum and laminated tubes in cardboard boxes, and in 100 g jars.



BIYO KAMFODERM

CREAM - SKIN CARE PRODUCT
80 g - 100 g



COMPOSITION: Biyo KAMFODERM Cream is a white, oil-free cream that contains camphor and has a characteristic odor.

USAGE AREA: Biyo KAMFODERM Cream is a cream prepared as a skin care product. The camphor it contains is a terpenoid and a vegetable substance obtained from *Cinnamomum camphora*. Thanks to being mildly antiseptic, analgesic, and resolute, it helps to eliminate the painful muscle swelling, myosclerosis, and itchy skin irritation of the horses, ovines, and bovines. It ensures the natural regeneration and granulation of the dry, cracked skin the granulation of which is delayed.

POSOLGY AND DOSAGE: Before applying Biyo KAMFODERM Cream, the application area must be washed with soap and water and then dried. Spread Biyo KAMFODERM Cream as a thin layer, and rub the area softly. It is administered directly to the skin, 2-3 times a day when deemed necessary, by rubbing.



PRESENTATION: It is available in 80 g aluminum tubes in cardboard boxes, and in 100 g jars.




CREAM - SKIN CARE PRODUCT
80 g - 100 g



COMPOSITION: Biyo SALIDERM Cream is a white, odorless, oil-free cream that contains salicylic acid.

INTENDED USE: Biyo SALIDERM Cream is a cream prepared as a skin care product. It is a keratolytic product. It softens the keratin, which is a protein in the epidermis structure, and ensures shedding of the dry skin cells, hardened and thickened skin layers by softening them. It's an adjuvant therapy to the main treatment for eliminating the growths such as scabs and warts emerging as a result of certain skin diseases. It is used to remove the dried, thickened, and hardened skin layers of cattle, sheep, goats, horses, dogs, and cats.

POSOLOGY AND DOSAGE: Before administering Biyo SALIDERM Cream, the area must be washed with soap and water and then dried. Biyo SALIDERM Cream is applied directly to the skin, 2-3 times a day when deemed necessary, by rubbing.



PRESENTATION: It is available in 80 g aluminum tubes in cardboard boxes, and in 100 g jars.



BIYO RIVODERM

CREAM - SKIN CARE PRODUCT
80 g - 100 g



COMPOSITION: Biyo RIVODERM Cream is a yellow, odorless, oil-free cream that contains Acrinol.

USAGE AREA: Biyo RIVODERM Cream is a cream prepared as a skin care product. When applied on the sensitive and damaged skins of the cats, dogs, horses, ovines, and bovines, it forms a thin layer functioning like dressing, and protects the sensitive and damaged skin from the external factors (dirt, humidity, UV, irritant agents, impacts, poisons leaking from the plants like ivy, oak tree, sumac), the infectious agents, and vermin. It ensures that the skin becomes softer and elastic by supporting the natural regeneration of skin by covering the dry and cracked skin, and prevents dehydration of the irritated skin. In case of mild skin irritation, skin rash, cracked skin, it accelerates the healing by covering the skin as a protective thin layer.

POSOLOGY AND DOSAGE: Before applying Biyo RIVODERM Cream, the area must be washed with soap and water and then dried. Biyo RIVODERM Cream is applied directly to the skin, 2-3 times a day when deemed necessary, by rubbing.



PRESENTATION: It is available in 80 g aluminum, 100 g laminated tubes in cardboard boxes, and in jars.




SKIN CARE CREAM
80 g - 100 g



COMPOSITION: Biyo ZINCODERM Cream is a yellow, odorless, oil-free cream that contains zinc oxide.

INTENDED USE: Biyo ZINCODERM Cream is a cream prepared as a skin care product. When applied on the sensitive and damaged skins of the cats, dogs, horses, ovines, and bovines, it forms a thin layer functioning like dressing, and protects the sensitive and damaged skin from the external factors (dirt, humidity, UV, irritant agents, impacts, poisons leaking from the plants like ivy, oak tree, sumac), the infectious agents, and vermin. It ensures that the skin becomes softer and elastic by supporting the natural regeneration of skin by covering the dry and cracked skin, and prevents dehydration of the irritated skin. In case of mild skin irritation, skin rash, cracked skin, it accelerates the healing by covering the skin as a protective thin layer.

POSOLOGY AND DOSAGE: Before applying Biyo ZINCODERM Cream, the area must be washed with soap and water and then dried. Biyo ZINCODERM Cream is applied directly to the skin, 2-3 times a day when deemed necessary, by rubbing.



PRESENTATION: It is available in 80 g aluminum tubes in cardboard boxes, and in 100 g jars.



SKIN CARE CREAM
10 g - 80 g - 100 g



COMPOSITION: TRICOBOR Cream is an odorless, oil-free cream that contains Chlorhexidine HCL and boric acid.

USAGE AREA: TRICOBOR Cream is a skin care product prepared for cats, dogs, horses, ovines and bovines. It's a keratolytic and lipolytic product. It softens the keratin in the epidermis and ensures shedding of the dry skin cells, hardened and thickened skin layers by softening them. As it's a lipolytic product, it also ensures that the skin tissue looks good and the hair roots and follicles are cleaned by degreasing and moisturizing the skin. It's an adjuvant therapy to the main treatment for eliminating the scabs, warts, etc. emerging as a result of certain skin diseases. It ensures that the skin becomes softer and elastic by supporting the natural regeneration of skin.

POSOLGY AND DOSAGE: TRICOBOR Cream is used for caring of the claws and body, face, ear, tail, and paw skin parts of cats and dogs as well as the hooves and neck, leg, and dorsal skin parts of horses, the skin part under the saddle especially. Before the administration, cut the hair on the skin, wash the skin with soap and water, then dry it. Apply the product directly to skin every day, 5 mm on 5 cm²; then spread and let it penetrate into the skin by rubbing. It can be applied 2-3 times a day when deemed necessary.



PRESENTATION: It is available in 10 g and 80 g aluminum tubes in cardboard boxes as well as 100 g PE jars again in cardboard box.



KREOLIN

**CLAW AND HOOF CARE SOLUTION
100 g - 250 g - 500 g - 1000 g - 17 kg**



COMPOSITION: KREOLIN Solution contains Phenol and pine tar.

USAGE AREA: KREOLIN Solution is used to care the hooves and skins of bovines, ovines, and horses.

POSOLOGY AND DOSAGE: For caring of the feet and hooves of horses, bovines, and ovines, dilute Kreolin solution at the rate of 5% (approximately 1,000 g in 1 tin can of water) and keep the animals' feet in this emulsion for 1-2 minutes twice or thrice a day, or apply Kreolin solution to the animals' hooves using a brush.



PRESENTATION: It is available in 100 g, 250 g, 500 g, 1000 g PE bottles and 17 kg tin containers.



BORDUST

POWDER SKIN CARE PRODUCT
100 g - 250 g - 500 g - 1000 g



COMPOSITION: It contains tea tree oil, cinnamon oil, eucalyptus oil, lavender oil, kaolin, zinc oxide, boric acid.

USAGE AREA: BORDUST is a skin care product prepared to use on ovines, bovines, cats, dogs, horses, and poultry. Thanks to moisturizing effects of the essential oils it contains; it helps preserve the pH/moisture balance of skin without causing loss of the natural oil of skin. It ensures that the skin is cleaned and smells good by eliminating bad odors. It protects the skin against harmful effects of external factors such as flea, louse and tick bites, direct sun light, bad odor and toxins, and eliminates the irritation of skin. BORDUST, an adjuvant therapy for eliminating the scabs, warts, etc. possible to emerge on the skin, also helps protect the skin health of the animals.

POSOLOGY AND DOSAGE: After sprinkling BORDUST on the animal's skin, spread the powder among the hair strands by using a brush or rubbing manually.



PRESENTATION: It is available in 100 g, 250 g, 500 g, and 1000 g packages.

PREMIXES





KALFOMIN

MINERAL - PROBIOTIC FOR RUMINANTS 1 kg - 20 kg



USAGE AREA: KALFOMIN: scientific researches have revealed that the ruminants like lamb, kid, sheep, goat, calf, heifer, cow, and bull need minerals as well as vegetal foodstuffs in their nutrition. The animals fed on vegetal foodstuffs, and not supplemented with minerals have been observed to suffer from developmental disorders and low yield. In order to receive yield from the feed ratios, it is necessary to use mineral feed supplements. KALFOMIN is a premix formulated by considering all these factors; and 1 kg of Kalfomin should be added into 100 kg of feed.

When added to their feeds, KALFOMIN

- Helps replenish the minerals the lactating cows and sheep lose during lactation period, and increases the milk yield, as well as reducing the milk fever risk in cows.
- Helps increase the meat yield and quality of husbandry animals, obtain higher live weight with less feed, and reach higher condition and yield levels in cows, bulls, and sheep.
- Helps increase the feed conversion in husbandry of lambs and calves, achieve higher live weight increases; and thus shortens the feeding time. Since meat of higher quality and higher yield will be obtained at the post-fattening slaughter, the stockbreeder will make profit from the sales made at higher prices.
- Helps increase the mating and insemination power of the male and female breeding animals in mating seasons.
- Helps the lambs and calves to be delivered by pregnant sheep and cows have healthy and strong muscles, due to selenium in its formula.
- Helps increase the digestibility and nutritional values of the feed by regulating the rumen metabolism.

POSOLOGY: Add 1 kg KALFOMIN to 100 kg of feed. Firstly, mix KALFOMIN with a small part of the feed; then, add the rest of the feed slowly while continuing to mix. It must be ensured that KALFOMIN is dispersed in the feed thoroughly. The animals given feed supplemented with KALFOMIN must be given half of the salt they need. If KALFOMIN is to be added to the feed of each animal separately, see the amounts per animal shown on the right-hand side table.

<p>LAMB - KID 5 g/day (1 small measuring - spoonful) Mix with 0.5 kg feed.</p>	<p>SHEEP - GOAT 10 g/day (2 small measuring - spoonful) Mix with 1 kg feed.</p>
---	--

<p>CALF 25 g/day (1 big measuring - spoonful) Mix with 2.5 kg feed.</p>	<p>FATTENING CATTLE 50 g/day (2 big measuring - spoonful) Mix with 5 kg feed.</p>
--	--

<p>DAIRY COW 50 g/day (2 big measuring - spoonful) Mix with 5 kg feed.</p>	<p>BULL 75 g/day (3 big measuring - spoonful) Mix with 7.5 kg feed.</p>
---	--

INGREDIENTS LIST

Identifying Number	Active Substance	Additive Name	Level in Premix	Units
Nutritional Additives				
Trace Element Compounds				
E1	Iron	Ferrous sulphate monohydrate 30%	5,000	mg/kg
E2	Iodine	Calcium iodate BMP 10%	80	mg/kg
E3	Cobalt	Cobalt carbonate BMP 5%	20	mg/kg
E4	Copper	Copper sulphate pentahydrate 25%	1,000	mg/kg
E5	Manganese	Manganese oxide 62%	5,000	mg/kg
E6	Zinc	Zinc oxide 72%	5,000	mg/kg
E7	Molybdenum	Sodium molybdate 39%	10	mg/kg
E8	Selenium	Sodium selenite BMP 4.5%	30	mg/kg
Technological and Zootechnical Additives				
Microorganisms				
	<i>Saccharomyces cerevisiae</i>	IFO 0203	4 X 10 ¹⁰	cfu/kg
Sensory Additives				
Aromatic Compounds				
	Aromatic Mixtures		2,000	mg/kg
Carriers				
11.3.1	Phosphor	Dicalcium phosphate 18% P - 25% Ca	2,680	mg/kg
	Calcium		3,722	mg/kg
11.1.1	Calcium	Calcium carbonate 39% Ca	354,553	mg/kg
11.4.1	Sodium chloride	Sodium chloride	20,000	mg/kg

PRESENTATION: It is available in 1 kg and 20 kg PE buckets.



KALFOMIN

LIQUID AMINO ACID AND MINERAL SOLUTION 1 lt - 20 lt



USAGE AREA & INTENDED USE: KALFOMIN Solution is a balanced liquid mineral premix that contains the micro-elements and the amino acid required for the development and productivity of farm animals.

- It increases the feed conversion in poultry. It reinforces the egg shell, and compensates the mineral loss in the body, which is caused by feather shedding or another reason.
- It treats the micro-element deficiency in lambs and calves. It increases the feed conversion. It accelerates the growth and fattening of young animals. It raises the body resistance of animals by strengthening the immune system.
- It eliminates mineral deficiencies in adult animals caused by feeding and physiological reasons. It meets the mineral need increasing in pregnancy and lactation periods.

POSOLGY: Shake before using.

Animal Species	Quantity
Fattening Cattle	100 kg canlı ağırlık için 1 litre suya 20 cc
Pregnant and lactating cows	100 kg canlı ağırlık için 1 litre suya 30 cc
Calves, pregnant and lactating sheep and goats	0,5 litre suya 15 cc
Sheep and goats	0,5 litre suya 10 cc
Lambs and kids	0,5 litre suya 5 cc
Chickens and Turkeys	1000 tavuk için 200 litre içme suyuna günde 1 litre
Chicks and Pullets	1000 civciv veya piliç için 200-400 litre içme suyuna 400 ml



Nutritional Additives			
Trace Element Compounds			
Iron	E1	1,600	mg/kg
Iodine	E2	100	mg/kg
Cobalt	3b802	250	mg/kg
Copper	E4	250	mg/kg
Manganese	E5	600	mg/kg
Zinc	E6	650	mg/kg
Selenium	E8	50	mg/kg

Amino Acids			
Lysine	3.2.1	5,000	mg/kg
Methionine	3C301	10,000	mg/kg
Technological Additives			
Preservatives			
Citric Acid	E 330	10,000	mg/kg
Orthophosphoric	E 338	13,000	mg/kg
Carriers			
Deionized water			95.24%

PRESENTATION: It is available in 1 l PE bottles and 20 l plastic cans.



BIYO EVIT-SE

VITAMIN - MINERAL / SUPPLEMENTARY FEED FOR DRINKING WATERS 100 g



USAGE AREA: Biyo EVIT-SE is a supplementary feed prepared to be added into drinking waters of the poultry like chicks, chickens, turkeys, the cage birds like parakeets, canaries and parrots, the pigeons, or into milks or drinking waters of suckling lambs, kids, calves and foals, and into drinking waters of sheep, goats, cattle and horses, which eliminates the vitamin E and selenium deficiencies. Vitamin E is an antioxidant vitamin that ensures that the reproductive, muscular, circulatory, nervous and immune systems of animals are healthy. Giving it together with selenium increases this effect. Giving vitamin E and selenium together as supplement helps animals adapt to the negative conditions around them by increasing their immunology. Thanks to its abovementioned properties, Biyo EVIT-SE helps reproduction and insemination of bovines, reproduction, egg laying, and hatching of the poultry, and fast growth of the younglings.

POSOLOGY:

- For cage birds and pigeons, add 1 dessert-spoonful (4 g) into 1 liter of drinking water.
- For poultry, add 100 g (1 pouch) into 1 tin can of water (approximately 25 liters).
- For lambs, kids, calves, and foals, add 1 dessert-spoonful (4 g) per 20 kg body weight into their milks or drinking waters.
- For sheep, goats, cattle, and horses, add 1 dessert-spoonful (10 g) per 40-50 kg body weight into their drinking waters.



COMPOSITION

Analytical Ingredients		Ingredients List
Crude Protein	0.2%	Lactose
Crude Cellulose	0%	
Fat (Total)	2.1%	
Crude Ash	0.8%	

Nutritional Additives		In 100 g
Vitamins		
Vitamin E (3a700)	30,000 mg/kg	3,000 mg

Trace Minerals		
Sodium Selenite E8	230 mg/kg	23 mg

Carrier Agents		
Lactose (8.9:1)	97%	



PRESENTATION: It is available in 100 g aluminum-coated PE bags.



BIYO AVIT-K


VITAMIN SUPPLEMENTARY FEED FOR DRINKING WATERS 100 g - 1 kg



USAGE AREA: Biyo AVIT-K is a supplementary feed prepared to be added into drinking waters of chicks, pullets, chickens, turkeys, and the other poultry as well as into milks or drinking waters of suckling lambs, kids, calves and foals, which eliminates the vitamin A and vitamin K3 deficiencies. Vitamin A ensures healthy eyes, skin, and bones. It is a vitamin necessary for the normal reproduction cycles and fertilization functions of male and female animals. It affects the growth of offspring positively. It increases the egg production and hatching of the poultry. It boosts the immune system by preserving the normal structure of the epithelial tissue and increasing the resistance of the cells covering all mucosa (endoderm) surfaces. Vitamin-K prevents blood loss by shortening the blood clotting time. It helps strengthen the bone structure by preventing the excretion of calcium.

POSOLOGY:

- For chicks, pullets, chickens, turkeys, and the other poultry: Either 1 pouch (100 g) of product is added into 400 liters of drinking water or 1 dessert-spoonful (4 g) product is added into 1 tin can (20 l) of drinking water.
- If the animals are expected to adapt to negative environmental conditions, either 1 pouch (100 g) of product is added into 200 liters of drinking water or 2 dessert-spoonful (8 g) product is added into 1 tin can (20 l) of drinking water.
- For lambs, kids, and calves: 1 dessert-spoonful (4 g) product per 10 lambs/kids or per 2 calves per day is added into 5-10 liters of milk or drinking water.
- For 10 calves, foals: Add 2 dessert-spoonful (8 g) product in 5-10 liters of water



COMPOSITION

Analytical Ingredients		Ingredients List
Crude Protein	0.2%	Lactose
Crude Cellulose	0%	
Fat (Total)	2.3%	
Crude Ash	0.5%	
Nutritional Additives		In 100 g
Vitamins		
Vitamin A (E672)	20,000,000 IU/kg	2,000,000 UI
Vitamin K ₃	10,000 mg/kg	1,000 mg/kg
Carrier Agents		
Lactose (8.91)	95%	



PRESENTATION: It is available in 100 g and 1 kg aluminum-coated PE bags.



VIOSOL-K

MULTIVITAMIN POWDER FOR POULTRY 50 g - 100 g



USAGE AREA: VIOSOL-K is a vitamin premix for the daily vitamin needs of poultry. Add 2 g of product into 1 liter of water or 2 kg of product into 1 ton drinking water in order to meet the daily vitamin needs of chicks, chickens, turkeys, geese, and ducks.

WARNINGS: Prohibited to use together with Vitamin D₂ or Vitamin D₂-containing premixes.

POSOLOGY: Best used within 36 months from production date.



INGREDIENTS LIST

Identifying Number	Active Substance	Additive Name	Level in Premix	Units
Nutritional Additives				
Vitamins				
E 672	Vitamin A		5,000,000	IU/kg
E 671	Vitamin D ₃		500,000	IU/kg
3a700	Vitamin E	α-tocopherol acetate	4,000	mg/kg
E300	Vitamin C	Ascorbic Acid	10,000	mg/kg
	Vitamin B ₁	Thiamine HCl	2,000	mg/kg
	Vitamin B ₂	Riboflavin-5-Phosphate	2,500	mg/kg
	Vitamin B ₆	Pyridoxine HCl	2,000	mg/kg
	Vitamin B ₁₂	Cyanocobalamin	5	mg/kg
	Vitamin B ₅	Calcium-d-Pantothenate	5,000	mg/kg
3a315	Vitamin B ₃	Niacinamide	10,000	mg/kg
	Vitamin K ₃	Menadione Sodium Bisulfite	2,000	mg/kg
	Vitamin B ₉	Folic Acid	500	mg/kg
	Vitamin B ₇	D-Biotin	40	mg/kg
Carriers				
	Lactose		94.32	%

PRESENTATION: It is available in 100 g aluminum-coated PE bags, and 50 g PE jars in cardboard box.



PRODIGEST


INTESTINAL FLORA REGULATING PROBIOTIC MINERAL POWDER

190 g



USAGE AREA: PRODIGEST is an intestinal flora regulating probiotic and mineral mix prepared to add into drinking waters of kids and calves, or feeds of cattle, sheep, and goats. PRODIGEST regulates and stabilizes the rumen pH. It mitigates the acidosis risk. It stimulates the microbiological biomass, enzymatic and cellulolytic activities. As a preservative, it makes the feed easily digestible by increasing its quality, thus increasing the feed conversion ratio in husbandry as well. Helps reduce the feeding time and increase the meat yield and quality, since it increases the daily weight gain. It meets the trace mineral need.

POSOLOGY: 190 g PRODIGEST is mixed with 5 l water or 5 kg feed before administration.



Identifying Number	Active Substance	Additive Name	Level in Premix	Units	In 190 g
Technological Additives					
Preservatives					
E 281	Sodium Propionate	Sodium Propionate	315,790	mg/kg	60,000 mg
E 282	Calcium Propionate	Calcium Propionate	210,527	mg/kg	40,000 mg
Sensory Additives					
Aromatic Compounds					
	Aromatic Mixtures	Aromatic Mixtures	1,500	mg/kg	285 mg
Nutritional Additives					
Trace Element Compounds					
E3	Iron	Ferrous Sulphate Monohydrate (Fe 32.87%)	580	mg/kg	110.02 mg/kg
3b802	Cobalt	Cobalt Sulphate Mononitrate (Co 34.07%)	80	mg/kg	15.2 mg/kg
E4	Copper	Copper Sulphate Pentahydrate (Cu 25%)	350	mg/kg	66.5 mg/kg
E5	Manganese	Manganese Sulphate Monohydrate (Mn 32.5%)	400	mg/kg	76 mg/kg
E6	Zinc	Zinc Sulphate Monohydrate (Zn 36.44%)	20	mg/kg	3.8 mg/kg
Zootechnical Additives					
Intestinal Flora Regulators					
4b1705	<i>Enterococcus faecium</i>	NCIMB 10415 1X10 ¹⁰ cfu/g	4X10 ¹⁰	cfu/kg	0.76 X 10 ¹⁰
Carriers					
11.4.1	Sodium Chloride	Sodium Chloride	10.5	%	10.5%
11.4.4	Sodium Carbonate	Sodium Carbonate	35.85	%	35.85%

PRESENTATION: It is available in 190 g aluminum-coated PE bags.



BIYO CARLSBAD

SUPPLEMENTARY MINERAL FEED - POWDER 250 g - 500 g



USAGE AREA: Biyo-CARLSBAD is a supplementary mineral feed for sheep, goats, cattle, horses, dogs, and cats, which is used by mixing into water. Biyo-CARLSBAD regulates and stabilizes the rumen pH. It ensures the feed conversion.

POSOLOGY:

Cattle and Horse : 75-100 g/animal/day

Sheep and Goat : 15-20 g/animal/day

Cat and Dog : 5-10 g/animal/day

Mix the predetermined amount in 10 times more water and make the animals drink the mixture.



Analytical Ingredients	
Calcium	0.035%
Phosphor	0%
Sodium	30.99%
Magnesium	0.006%
Crude Ash	> 10%

Ingredients List
Sodium Sulphate
Potassium Sulphate
Sodium Chloride
Sodium Bicarbonate

PRESENTATION: It is available in 250 g aluminum-coated PE bags and 500 g PE jars.



BIYO MAGNESIE

SUPPLEMENTARY MINERAL FEED - POWDER
250 g - 500 g



USAGE AREA: Biyo-MAGNESIE is a magnesium supplementary for sheep, goats, cattle, and horses, which is used by mixing into water. Biyo-MAGNESIE Powder regulates and stabilizes the rumen pH.

POSOLOGY AND PROSPECTUS:

- Calf and Foal : 20-25 g/animal/day
- Cattle and Horse : 50-75 g/animal/day
- Sheep and Goat : 15-20 g/animal/day

Mix the predetermined amount in 10 times more water and make the animals drink the mixture.



Analytical Ingredients

Calcium	0.77%
Phosphor	0%
Sodium	0%
Magnesium	56.72%

Ingredients List

Magnesium Oxide
(Quenched Magnesium Oxide)

PRESENTATION: It is available in 250 g aluminum-coated PE bags and 500 g PE jars.



BIYO-EPSON

SUPPLEMENTARY MINERAL FEED - POWDER 250 g - 500 g



USAGE AREA: Biyo-EPSON is used by mixing into water to supplement magnesium in sheep, goats, cattle, and horses.

POSOLOGY AND PROSPECTUS:

- Sheep and Goat : 7.5-15 g/animal/day
- Cattle : 60-120 g/animal/day
- Calf and Foal : 10-20 g/animal/day
- Horse : 30-60 g/animal/day
- Dog : 2-6 g/animal/day
- Cat : 1-3 g/animal/day

Mix the predetermined amount in 10 times more water and make the animals drink the mixture.



Analytical Ingredients

Calcium	0%
Phosphor	0%
Sodium	0%
Magnesium	10.2%
Sulfur	12%

Ingredients List

- Magnesium Sulphate Heptahydrate

PRESENTATION: It is available in 250 g aluminum-coated PE bags and 500 g PE jars.



BIYOICAL

SUPPLEMENTARY MINERAL FEED - LIQUID 500 g



USAGE AREA: BIYOICAL Solution is a supplementary liquid mineral feed used to heal the calcium and magnesium deficiencies of lambs, kids, goats, calves, and cattle. The calcium and magnesium needs of animals vary by age, whether they are pregnant or not, and milk yield. BIYOICAL Solution helps strengthen the bone structures as well as fast growth of kids, lambs, and calves. It is used to meet the pregnant cows' calcium need that increases during and after the pregnancy.

POSOLOGY: The liquid must be prevented from entering the lungs through the trachea. Therefore, it must not be poured down forcefully. Do not put the bottle into the mouth too far; neither pour the liquid too fast nor spray it. Do not let the animal become restive. If the animal becomes restive, wait for it to calm down, and then repeat the process. Pay attention to the following while administering BIYOICAL Solution orally. Stand on the right of the animal's head, and hold the uncapped bottle in your right hand. Wrap your left arm over the top of the animal's muzzle; push your left hand under the left side of the animal's upper lip and stroke the palate of the animal's mouth; elevate the animal's head above your armpit level as much as possible. This will encourage the animal to open up wide automatically. Insert the bottle into the animal's mouth from the front side (hold the bottle at the bottom). In this way, make sure that the neck of the bottle lies on the curved front part of the tongue; pour the liquid in the bottle into the cavity under the cheek slowly; this will enable the animal to swallow the liquid without any problem.

AMOUNT OF USE: It is administered to pregnant cows orally to meet their calcium need that increases during and after the pregnancy.

Approximately 24 hours before birth : 1 bottle
 12 hours after birth : 1 bottle
 Immediately after birth : 1 bottle
 24 hours after birth : 1 bottle

In case of the calcium and magnesium deficiencies of lambs, kids, goats, calves, and cattle, it is administered to animals orally in the following amounts.

Per 25 kg Live Weight : ¼ bottle
 Per 75 kg Live Weight : ¾ bottle
 Per 50 kg Live Weight : ½ bottle
 Per 100 kg Live Weight : 1 bottle

It is recommended to administer it orally once a month depending on the animal's condition.

Analytical Ingredients	
Calcium	10.5%
Phosphor	0%
Sodium	0.011%
Magnesium	1%
Crude Ash 550 °C 3 Hours	25%

Ingredients List	
Calcium chloride 2H ₂ O	
Magnesium chloride 6H ₂ O	
Sodium chloride	
Propylene glycol	

Feed Stuff			
Calcium chloride	2H ₂ O 11.1.6	313.100	g/kg
Magnesium chloride	6H ₂ O 11.2.6	66.770	g/kg
Sodium chloride	11.4.1	0.240	g/kg
Propylene glycol	13.11.1	326.900	g/kg

PRESENTATION: It is available in 500 g PE bottles.





BIYODIARE

SUPPLEMENTARY DIETETIC FEED FOR SPECIAL FEEDING PURPOSE - POWDER 100 g



Supplementary dietetic feed for special feeding purpose, prepared to stabilize the water and electrolyte balance and regulate the physiological digestive disorders.

USAGE AREA: BIYODIARE is a supplementary (dietetic) feed for special feeding purpose that contains the mineral electrolytes and easy-to-absorb sugars to ensure stabilization of the water and electrolyte balance of calves, maintenance of that balance against the risk of disturbance, continuity and fast rehydration of the balance, and is reinforced with the additives included in the function group of the intestinal flora regulator included in the zootechnical additives category for the purpose of regulating the physiological digestive disorders. It is used in case of diarrhea and the other digestive disorders, during recovery times, to support the digestive functions, meeting the animal's nutritional needs naturally and quickly, though partially.

POSOLOGY: One 100 g pack of BIYODIARE is for one meal. Mix with 1 or 1.5 liters of water, or milk when necessary, and administer orally in one meal.

- **For Regulation of the Water and Electrolyte Balance:** The number of daily meals may vary from 1 to 4 meals, with an interval of approximately 5 hours, and the application period from 1 to 7 days, depending on the animal's need. In case of special feeding, this period may vary from 1 to 3 days. The number of daily meals may be increased when necessary, but the recommended daily meal amount is 800 g.

- **For Regulation of the Physiological Digestive Disorders:** 1 package (100 g) a day can be administered for a period of 1 to 7 days.

COMPOSITION

Analytical Ingredients	
Crude Protein	10%
Crude Cellulose	13%
Crude Fat	13%
Crude Ash	13%
Calcium	0%
Magnesium	0%
Phosphor	0%
Total Sugar	23%
Starch	9%
Sodium	32,000 mg/kg
Potassium	16,500 mg/kg
Chlorides	55,000 mg/kg
Metabolizable Energy	3,250 kcal/kg
Humidity	Maximum 10%

Ingredients List

Sodium chloride, Potassium chloride, Sodium bicarbonate, Dextrose, Cellulose microcrystalline, wheat starch, flaxseed powder, Sorbitol, Inactive brewer's yeast, Pectin.

Additives (in 1 kg)

Nutritional Additives		
Methionine (3c301)	2.25	g/kg
Lysine (3.2.3)	3.00	g/kg
Zootechnical Additives		
Intestinal Flora Regulators		
<i>Enterococcus faecium</i> NCIMB 10415 (4b1705)	2.5X1010	cfu/kg
<i>Saccharomyces cerevisiae</i> NCYC Sc 47 (4b1702)	2.5X1010	cfu/kg

PRESENTATION: It is available in 100 g aluminum-coated PE bags.





BISMOLIN

DIGESTIVE SYSTEM SUPPLEMENTARY FEED ORAL POWDER 50 g



USAGE AREA: BISMOLIN is a supplementary feed that increases the appetite of ovines, bovines, and horses by ensuring that they have healthy digestive functions, thus also increasing the daily weight gain and feed conversion ratio. Thanks to the group B vitamins and intestinal flora regulators it contains, it ensures that the intestines function properly.

POSOLOGY:

- Calve-Foal : 10 g
- Cow-Bull-Horse : 50 g
- Lamb-Kid : 5 g
- Sheep-Goat : 10 g

It is mixed into 5 times more water or milk and administered orally.

Additives (in 1 kg)	
Nutritional Additives	
Vitamins	
Vitamin B ₁ (Thiamine Mononitrate) (3a821)	60 mg/kg
Vitamin B ₂ (Riboflavin)	225 mg/kg
Vitamin B ₃ (Niacin) (3a314)	600 mg/kg
Vitamin B ₅ (Calcium-d-Pantothenate) (3a841)	400 mg/kg
Vitamin B ₆ (Pyridoxine HCl)	10 mg/kg
Vitamin K ₃ (Menadione Sodium Bisulfite) (3a710)	100 mg/kg
Technological Additives	
Preservatives	
Sodium Methyl 4-Hydroxybenzoate (E219)	2,000 mg/kg
Binders, Anti-Coagulants	
Kaolin (E 559)	400,000 mg/kg
Bentonite (Im558i)	20,000 mg/kg
Sorbitol powder (E 420)	70,000 mg/kg
Zootechnical Additives	
Intestinal Flora Regulators	
<i>Enterococcus Faecium</i> NCIMB 10415 2x10 ¹⁰ cfu/g (4b1705)	0.5 g/kg
<i>Saccharomyces Cerevisiae</i> NCYC Sc 47 (4b1702)	10 g/kg
Fillers	
Pectin 5.27.1	40,000 mg/kg
Magnesium Stearate 11.2.10	2,000 mg/kg
Lactose 8.9.1	454,105 mg/kg

Analytical Ingredients	
Crude Protein	0.5%
Crude Ash	34%
Crude Cellulose	2%
Crude Fat (total)	1.1%

Ingredients List	
Pectin, Magnesium stearate, Lactose, Kaolin, Bentonite	



PRESENTATION: It is available in 50 g PE jars in cardboard boxes.



ARISOL

MULTIVITAMIN FOR HONEY BEES - POWDER 100 g



USAGE AREA: ARISOL helps obtain more yield from the beehives, and helps the bees adapt to environmental, climatic, and location changes while moving the beehives from one place to another place. It is used as vitamin supplement to maintain the number of bees in the beehive in winter.

POSOLOGY:

- For beehives, add 2 g ARISOL to 1 liter water.
- For normal purposes such as increasing the yield obtained from the beehives, add 10 g (2 teaspoonful) ARISOL to 5 l water.
- Add 10 g (2 teaspoonful) ARISOL to 5 liters of the syrups prepared with sugar, honey and water, and used to feed the bees in spring and autumn.
- Add 20 g (4 teaspoonful) ARISOL to 5 kg of pollen patty made with the ingredients like honey, pollen, sugar, etc. and used to feed the bees in the queen bee growth periods, or in winter when the weather conditions do not let the bees fly.



INGREDIENTS LIST


Tanımlayıcı Numara	Active Substance	Additive Name	Level in Premix	Units
Nutritional Feed Additives				
Vitamins				
3a672a	Vitamin A	Retinyl Acetate	1,800,000	IU/kg
E 671	Vitamin D ₃		270,000	IU/kg
3a700	Vitamin E	All rac. alpha-tocopheryl acetate	280	mg/kg
3a710	Vitamin K ₃	Menadione Sodium Bisulfite	1,500	mg/kg
3a300	Vitamin C	Ascorbic Acid	3,000	mg/kg
3a820	Vitamin B ₁	Thiamine Hydrochloride	800	mg/kg
	Vitamin B ₂	Riboflavin-5-Phosphate	1,250	mg/kg
3a315	Vitamin B ₃	Niacinamide	7,500	mg/kg
3a841	Vitamin B ₅	Calcium-D-Pantothenate	1,200	mg/kg
	Vitamin B ₆	Pyridoxine Hydrochloride	200	mg/kg
3a880	Vitamin B ₇	Biotin	10	mg/kg
	Vitamin B ₉	Folic Acid	250	mg/kg
	Vitamin B ₁₂	Cyanocobalamin	1	mg/kg
Carriers				
8.9.1	Lactose		97.04	%


PRESENTATION: It is available in 100 g aluminum-coated PE bags.

PET PRODUCTS

CATS AND DOGS

• SHAMPOOS





BIYO DERMACURE

TRICOBOR

SKIN CARE SHAMPOO
250 ml - 500 ml - 1000 ml



COMPOSITION: TRICOBOR Shampoo is a skin care shampoo that contains Chlorhexidine HCl, Glycolic Acid, and Boric Acid.

USAGE AREA: TRICOBOR Shampoo is a skin care product prepared for cats, dogs, and horses. It's a keratolytic and lipolytic product. It softens the keratin in the epidermis and ensures shedding of the dry skin cells, hardened and thickened skin layers by softening them. As it's a lipolytic product, it also ensures that the skin tissue looks good and the hair roots and follicles are cleaned by degreasing and moisturizing the skin. It's an adjuvant therapy to the main treatment for eliminating the scabs, warts, etc. emerging as a result of certain skin diseases. By supporting the natural regeneration of skin, it ensures that it becomes softer and elastic.

POSOLOGY AND DOSAGE: Wet and rub the hair of cats and dogs with warm water. Apply 2-3 ml or a teaspoonful of shampoo per body part on the animal's head, ears, neck, body, legs, tail, paws, especially between the digits of each paw, by lathering up thoroughly so that the shampoo can penetrate into the skin, but paying attention to prevent it from entering the animal's eyes. It is applied on horses in the same way by using sufficient amount of shampoo. After keeping it on the animal for 5-10 minutes, rinse the shampoo with plenty of water, and dry the animal thoroughly.



PRESENTATION: It is available in 250 ml, 500 ml, and 1000 ml PE bottles.



BIYO DERMACURE
HERBIO

SHAMPOO - SKIN / HAIR CARE PRODUCT
250 ml



COMPOSITION: It is a red shampoo that contains palmarosa oil and has a characteristic odor.

USAGE AREA: HERBIO Shampoo contains the natural Palmarosa oil that is obtained from the Cymbopogon martinii plant. Used in alternative medicine in the East, India in particular, Palmarosa oil provides the dogs and cats with healthy and bright skin and hair thanks to its moisturizing effect. It maintains the natural oil balance of skin. It prevents the skin from being infected. HERBIO Shampoo also helps treat the wounds and bruises on the animal. It treats the skin irritation caused by fleas, ticks, and lice.

POSOLOGY AND DOSAGE: Wet the dog with warm water thoroughly. Pour sufficient amount (~10 ml) of HERBIO Shampoo into your palm. Lather up the shampoo applied on the skin and hair with water. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. After keeping it on the animal for 3-5 minutes, rinse the foam. Dry the dog with a towel, and then comb its hair. Repeat the application if necessary.



PRESENTATION: It is available in 250 ml PE bottles.



BIYO DERMACURE
CURLY


**CARE SHAMPOO FOR DOGS
WITH THICK AND CURLY HAIR
250 ml**




BIYO DERMACURE CURLY is a violet or purple-colored, lavender-scented shampoo.

USAGE AREA: CURLY Shampoo softens the hardened and curled hair of the dogs and cleans the hair deeply thanks to the cleaning agents in its composition. It allows detangling of hair, and makes brushing easy. It ensures that the hair looks healthier by brightening it. Its perfume ingredient leaves a pleasant and permanent odor, and also makes the washing process easier thanks to its calming effect. It is used in cleaning of the dogs that are older than 6 weeks and have tough, thick and curly hair.

POSOLGY AND DOSAGE: Wet the dog with warm water thoroughly. Pour sufficient amount (~10 ml) of CURLY Shampoo into your palm. Lather up the shampoo applied on the skin and hair with water. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. After keeping it on the animal for 3-5 minutes, rinse the foam. Dry the dog with a towel, and then comb its hair. Repeat the application if necessary.



PRESENTATION: It is available in 250 ml PE bottles.



BIYO DERMACURE
FRESH

**CARE SHAMPOO WITH DEODORANT
250 ml**



BIYO DERMACURE FRESH is a blue or violet-colored, lavender-scented shampoo.

USAGE AREA: FRESH Shampoo cleans the hair deeply thanks to the cleaning agents in its composition. It eliminates undesired bad odors by leaving a permanent pleasant odor thanks to the perfume it contains. It allows brushing easily by softening the hair. It ensures that the hair looks healthier by brightening it. It is used in cleaning of the dogs older than 6 weeks.

POSOLGY AND DOSAGE: Wet the dog with warm water thoroughly. Pour sufficient amount (~10 ml) of FRESH Shampoo into your palm. Lather up the shampoo applied on the skin and hair with water. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. After keeping it on the animal for 3-5 minutes, rinse the foam. Dry the dog with a towel, and then comb its hair. Repeat the application if necessary.



PRESENTATION: It is available in 250 ml PE bottles.



BIYO-**DERMACURE**
WHITE

CARE SHAMPOO FOR WHITE DOGS
250 ml



BIYO-DERMACURE WHITE is a colorless, coconut-scented shampoo that contains color-preserving pigments.

USAGE AREA: WHITE Shampoo cleans deeply and whitens the hair of white dogs thanks to the cleaning agents and optical whitener it contains. It ensures that the hair looks healthier by giving it a whiter and brighter look. It prevents the hair from turning yellow and looking dirty in time. It leaves a pleasant and permanent odor thanks to the perfume it contains. It is used in cleaning of the white dogs older than 6 weeks.

POSOLOGY AND DOSAGE: Wet the dog with warm water thoroughly. Pour sufficient amount (~10 ml) of WHITE Shampoo into your palm. Lather up the shampoo applied on the skin and hair with water. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. After keeping it on the animal for 3-5 minutes, rinse the foam. Dry the dog with a towel, and then comb its hair. Repeat the application if necessary.



PRESENTATION: It is available in 250 ml PE bottles.



BIYO-DERMACURE
BLACK

CARE SHAMPOO FOR BLACK DOGS
250 ml



BIYO-DERMACURE BLACK is a black, coconut-scented shampoo that contains color-preserving pigments.

USAGE AREA: BLACK Shampoo preserves the original color tones of the dogs that have dark hair like black, mahogany, and chocolate thanks to its special color-preserving system. It ensures that the hair looks healthier by brightening it. It leaves a pleasant and permanent odor thanks to the perfume it contains. It is used in cleaning of the black dogs older than 6 weeks.

POSODOLOGY AND DOSAGE: Wet the dog with warm water thoroughly. Pour sufficient amount (~10 ml) of BLACK Shampoo into your palm. Lather up the shampoo applied on the skin and hair with water. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. After keeping it on the animal for 3-5 minutes, rinse the foam. Dry the dog with a towel, and then comb its hair. Repeat the application if necessary.



PRESENTATION: It is available in 250 ml PE bottles.



BIYO DERMACURE
COMFORT

CARE SHAMPOO
250 ml



BIYO DERMACURE COMFORT is a green, lavender-scented shampoo.

USAGE AREA: COMFORT Shampoo is used to mitigate the skin damage caused by Pruritus (medical term for itch), a symptom of other diseases, in cats and dogs as well as to comfort the animal. Allergic diseases, ectoparasites, bacterial infections, or idiopathic cases cause skin itch in cats and dogs. In such a case, if the animal scratches itself, this increases the skin damage rapidly. While treating the cause of the itch, COMFORT Shampoo is used to assist the treatment and prevent the itch. COMFORT Shampoo comforts the animal and makes the animal's hair bright and lively with the colloidal oatmeal it contains.

POSODOLOGY AND DOSAGE: Wet the cats and dogs with warm water thoroughly. Pour sufficient amount (~5-10 ml) of COMFORT Shampoo into your palm. Lather up the shampoo applied on the skin and hair with water. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. After keeping it on the animal for 3-5 minutes, rinse the foam. Dry the dog with a towel, and then comb its hair. Repeat the application if necessary.



PRESENTATION: It is available in 250 ml PE bottles.



BIYO DERMACURE
PUPPY


CARE SHAMPOO FOR PUPPIES
250 ml



BIYO DERMACURE PUPPY is a transparent, orange-colored, lavender-scented shampoo.

USAGE AREA: PUPPY Shampoo cleans the skin with the cleaning agents and wheat protein in its composition, and ensures that the hair looks healthier by brightening it. It neither irritates the puppy's eyes nor causes tears. Its perfume ingredient leaves a pleasant and permanent odor, and also makes the washing process easier thanks to its calming effect. It is used in cleaning of the puppies older than 6 weeks.

POSOLGY AND DOSAGE: Wet the dog with warm water thoroughly. Pour sufficient amount (~10 ml) of PUPPY Shampoo into your palm. Lather up the shampoo applied on the skin and hair with water. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. After keeping it on the animal for 3-5 minutes, rinse the foam. Dry the dog with a towel, and then comb its hair. Repeat the application if necessary.



PRESENTATION: It is available in 250 ml PE bottles.



BIYO DERMACURE
PET-DUST
DRY POWDER

DRY SHAMPOO
100 g



COMPOSITION: Biyo Dermacure PET-DUST Dry Powder is a dry shampoo for skin care, which contains zinc oxide, boric acid, kaolin, magnesium stearate, and lavender aroma.

USAGE AREA: Biyo Dermacure PET-DUST Dry Powder is a dry shampoo used to clean cats and dogs. The oil balance of the skins of cats and dogs that must be washed frequently is disturbed. In addition to such cases, it ensures that the skins of the cats and dogs that do not like to be washed with water are cleaned, and that the animals smell good by eliminating bad odors. Biyo Dermacure PET-DUST Dry Powder, which is easier to use and thus more advantageous (during travels especially) compared to wet wash, helps preserve the skin health of the animals.

POSOLGY AND DOSAGE: After sprinkling Biyo Dermacure PET-DUST Dry Powder on the dry hair of cats and dogs, spread the powder over the skin by rubbing and massaging manually. After cleaning the excess product with a dry cloth, comb the animal's hair. Frequent use does not cause any problem.



PRESENTATION: It is available in 100 g PE bottles equipped with sprayer.



BIYO DERMACURE

HERBIO DRY FOAM

DRY FOAM SHAMPOO
250 ml



BIYO-DERMACURE HERBIO DRY FOAM is a colorless, coconut-scented shampoo.

USAGE AREA: HERBIO DRY FOAM Shampoo is a foam-type shampoo used on cats and dogs without water. HERBIO DRY FOAM Shampoo contains the natural Palmarosa oil that is obtained from the *Cymbopogon martinii* plant. Used in alternative medicine in the East, India in particular, Palmarosa oil provides the cats and dogs with healthy and bright skin and hair thanks to its moisturizing effect. It maintains the natural oil balance of skin. It prevents the skin from being infected. The foam prepared by a special method cleans the skin deeply thanks to the cleaning agents in its composition, and ensures that the hair looks healthier by brightening it. It leaves a pleasant and permanent odor thanks to the perfume it contains. It neither irritates the animal's eyes nor causes tears.

POSOLOGY AND DOSAGE: Pump some HERBIO DRY FOAM Shampoo into your palm using its special pump. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. Keep the foam on the animal for 5-10 minutes. Dry the animal with a towel, and then comb its hair.



PRESENTATION: It is available in 250 ml PE bottles together with a foam maker pump.



BIYO DERMACURE
DRY FOAM

DRY FOAM SHAMPOO
250 ml



BIYO DERMACURE DRY FOAM is a colorless, vanilla-scented shampoo.


USAGE AREA: DRY FOAM Shampoo is a foam-type shampoo used on cats and dogs without water. The foam prepared by a special method cleans the skin deeply thanks to the cleaning agents in its composition, and ensures that the hair looks healthier by brightening it. It leaves a pleasant and permanent odor thanks to the perfume it contains. It neither irritates the animal's eyes nor causes tears.

POSOLGY AND DOSAGE: Pump some DRY FOAM Shampoo into your palm using its special pump. Starting from the nape, ensure that the shampoo penetrates into the skin and hair thoroughly by rubbing. Keep the foam on the animal for 5-10 minutes. Dry the animal with a towel, and then comb its hair.



PRESENTATION: It is available in 250 ml PE bottles together with a foam maker pump.

• CARE PRODUCTS





BIYO DERMACURE CAT-LINE

SKIN AND HAIR CARE PRODUCT 1 ml



COMPOSITION: Biyo Dermacure CAT-LINE Skin and Hair Care Product is a solution that contains tea tree oil, cinnamon oil, moisturizing oil, and lavender oil.

USAGE AREA: Biyo Dermacure CAT-LINE Skin and Hair Care Product is a skin and hair care product prepared for cats. Thanks to moisturizing effects of the essential oils in it, the product helps preserve the pH/moisture balance of skin without causing loss of the natural oil of skin, and gives the animal's skin a soft, bright and natural liveliness without irritating it. It prevents the skin from being infected. It can be used for skins allergic to flea, tick and louse bites. It treats the skin irritation caused by fleas, ticks, and lice. It's an adjuvant therapy to main treatment for eliminating the scabs, warts, etc. emerging as a result of certain skin diseases. It ensures that the cat smells good by eliminating the bad odor without affecting the cat's normal flora.

POSOLOGY AND DOSAGE: Applied topically (directly to the skin). Part the hair between the shoulders of the cat standing straight so as to expose its skin. Hold the tube so that its mouth touches the skin, and apply the product between the shoulders in 2 equal amounts or so as to form a line. It is appropriate to use 1 microtube every 15 days. It must not be used on cats younger than 8 weeks and/or lighter than 1 kg.



PRESENTATION: It is available in 1 ml plastic tubes in boxes with 3 or 5 tubes in each box.



BIYO DERMACURE
DOG-LINE

SKIN AND HAIR CARE PRODUCT
1 ml - 2 ml - 4 ml



COMPOSITION: Biyo Dermacure DOG-LINE Skin and Hair Care Product is a solution that contains tea tree oil, cinnamon oil, moisturizing oil, and lavender oil.

USAGE AREA: Biyo Dermacure DOG-LINE Skin and Hair Care Product is a skin and hair care product prepared for dogs. Thanks to moisturizing effects of the essential oils in it, the product helps preserve the pH/moisture balance of skin without causing loss of the natural oil of skin, and gives the animal's skin a soft, bright and natural liveliness without irritating it. It prevents the skin from being infected. It can be used for skins allergic to flea, tick and louse bites. It treats the skin irritation caused by fleas, ticks, and lice. It's an adjuvant therapy to main treatment for eliminating the scabs, warts, etc. emerging as a result of certain skin diseases. It ensures that the dog smells good by eliminating the bad odor without affecting the dog's normal flora.

POSOLGY AND DOSAGE: Applied topically (directly to the skin). Part the hair between the shoulders of the dog standing straight so as to expose its skin. Hold the tube so that its mouth touches the skin, and apply the product between the shoulders in 2 equal amounts or so as to form a line. The appropriate usage amounts are as follows: 1 unit of 1 ml microtube for the dogs that weigh less than 10 kg, 1 unit of 2 ml microtube for the dogs that weigh between 10-20 kg, and 1 unit of 4 ml microtube for the dogs that weigh between 20-40 kg. Repeat the application every 15 days. It must not be used on dogs younger than 8 weeks and/or lighter than 2 kg.



PRESENTATION: It is available in 1 ml, 2 ml, and 4 ml microtubes with 5 microtubes in each box.



BIYO TRAINER

SPRAY FOR TOILET TRAINING 100 ml



COMPOSITION: Biyo-TRAINER Spray contains Acetyl cedrene, ethoxymethylcyclodecylether, L-alpha-pinene, isoeugenol, β -pinene, and isopropyl alcohol. Biyo-TRAINER Spray is a product that contains a solution used to correct toilet behaviors and facilitate caring for young and adult cats and dogs.

USAGE AREA: Biyo-TRAINER Spray is a product designed to get young and adult cats and dogs adopt the habit of relieving themselves in predetermined areas (indoor or outdoor area determined by the owner). Due to the odor of the product, the animal will learn to relieve itself in the predetermined place, and adopt doing so as a permanent habit after a while.

POSOLGY: Shake the product bottle before using. Spread the training pad in the place selected as toilet area in the house. Spray the product on the entire surface 4-5 times from a distance of 20-30 cm, and let the animal sniff it. Even if you want the toilet area to be outside the house, start the training inside the house. Spread the training pad next to the bed as toilet area. Spray the product on the entire surface 4-5 times from a distance of 20-30 cm, and let the animal sniff it. Continue the application until the animal adopts toilet habit. When the animal has adopted toilet habit, shift the toilet area towards the outer door slowly and gradually. At each stage, it is necessary to make sure that the animal has adopted the habit. Eventually, take the toilet area out of the house completely, spray the predetermined area with Biyo-TRAINER Spray 4-5 times, and let the animal sniff it. In this way, the animal will have learned that the toilet area is outside the house.

Time of Application: After wakeup, after meal, and before sleeping. Replace the training pad with a new one each time, and apply Biyo-TRAINER Spray again.



PRESENTATION: It is available in 100 ml PE pumping bottles.



BIYO DERMACURE EAR CLEANER

SOLUTION - EAR CARE PRODUCT
50 ml - 100 ml



COMPOSITION: Biyo Dermacure EAR CLEANER Solution is a light yellowish solution that contains propylene glycol, salicylic acid, boric acid, acetic acid, glycerin, isopropyl alcohol, and benzalkonium chloride as preservative.

USAGE AREA: Biyo Dermacure EAR CLEANER Solution cleans the earwax caused by excessive ear discharge in cats and dogs, delays the earwax buildup, and helps prevent ear infections by preventing necrotic tissues and itch. It ensures that the ear canal remains dry and prevents bad odor.

POSOLOGY AND DOSAGE: Pour 5-8 drops of Biyo Dermacure EAR CLEANER Solution into the external ear; after waiting for a while, rub the ear canal base to dislocate the earwax and necrotic tissues. Clean the ear carefully using a cotton swab. Repeat the process twice or thrice a day for very dirty ears. With twice or thrice routine use a week, the earwax buildup in the ears of cats and dogs is prevented.

PRESENTATION: It is available in 50 ml, 100 ml, and 100 ml PE dropping bottles in cardboard box.



BIYO DERMACURE
EYE CLEANER


SOLUTION - EYE CARE PRODUCT
50 ml - 100 ml



COMPOSITION: Biyo Dermacure EYE CLEANER Solution is a white, viscous solution that contains boric acid, borax, sodium chloride, and benzalkonium chloride as preservative.

USAGE AREA: Biyo Dermacure EYE CLEANER Solution cleans crusting of the eyelids caused by excessive eye discharge in cats and dogs, delays the crust buildup, and also eliminates the stains caused by the eye discharge in the light color cats and dogs.

POSOLGY AND DOSAGE: Clean the crust and other accumulations around the eye using cotton, cotton swab, or gauze dressing dampened with Biyo Dermacure EYE CLEANER Solution (approximately 2.5 ml for 1 eye). In order to clean the stains around the eyes or on the hair, wipe them clean with cotton or gauze dressing dampened with Biyo Dermacure EYE CLEANER Solution every day. When the stains disappear, repeat the application every day so that they do not appear again.



PRESENTATION: It is available in 50 ml, 100 ml, and 100 ml PE dropping bottles in cardboard box.



BIYO DERMACURE HERBIO
CATSPRAY

**SOLUTION FOR SPRAY - SKIN / HAIR CARE PRODUCT
50 ml - 100 ml - 150 ml - 200 ml**



COMPOSITION: HERBIO CATSPRAY is a colorless solution that contains palmarosa oil.

USAGE AREA: HERBIO CATSPRAY contains the natural Palmarosa oil that is obtained from the Cymbopogon martinii plant. Used in alternative medicine in the East, India in particular, Palmarosa oil provides the cats with healthy and bright skin and hair thanks to its moisturizing effect. It maintains the natural oil balance of skin. It prevents the skin from being infected. HERBIO CATSPRAY also helps treat the wounds and bruises on cats. It treats the skin irritation caused by fleas, ticks, and lice.

POSOLOGY AND DOSAGE: Fluff the hair of the cats standing straight so as to expose the skin. Spray from a distance of 15 cm until the entire hair gets wet. Brush the hair in the growth direction. You can repeat the process 15 days later if necessary.



PRESENTATION: It is available in 50 ml, 100 ml, and 150 ml pressurized tin cans as well as 200 ml PE bottles with pump.



BIYO DERMACURE HERBIO
DOGSPRAY

SOLUTION FOR SPRAY - SKIN / HAIR CARE PRODUCT
50 ml - 100 ml - 150 ml - 200 ml



COMPOSITION: HERBIO Dogspray is a colorless solution that contains palmarosa oil.

USAGE AREA: HERBIO Dogspray contains the natural Palmarosa oil that is obtained from the Cymbopogon martinii plant. Used in alternative medicine in the East, India in particular, Palmarosa oil provides the dogs with healthy and bright skin and hair thanks to its moisturizing effect. It maintains the natural oil balance of skin. It prevents the skin from being infected. HERBIO DOGSPRAY also helps treat the wounds and bruises on dogs. It treats the skin irritation caused by fleas, ticks, and lice.

POSOLOGY AND DOSAGE: Fluff the hair of the dogs standing straight so as to expose the skin. Spray from a distance of 15 cm until the entire hair gets wet. Brush the hair in the growth direction. You can repeat the process 15 days later if necessary.



PRESENTATION: It is available in 50 ml, 100 ml, and 150 ml pressurized tin cans as well as 200 ml PE bottles with pump.

• VITAMINS





BIYO POWERCURE
DOG-VIT

MULTIVITAMIN - POWDER
50 g



USAGE AREA: DOG-VIT is a powder vitamin premix prepared to meet daily vitamin needs of dogs, and to ensure healthy growth of puppies.


POSOLOGY: Mix into approximately 150 g dog food or formula for one meal.

For puppies : 1 g/day

For adult dogs : 2 g/day



Ingredients	
Nutritional Additives	
Vitamins	
Vitamin A (E672)	4,000,000 IU/kg
Vitamin D ₃ (E671)	150,000 IU/kg
Vitamin E (3a700)	5,000 mg/kg
Vitamin C(E300)	10,000 mg/kg
Vitamin B ₁	2,000 mg/kg
Vitamin B ₂	2,500 mg/kg
Vitamin B ₆	500 mg/kg
Vitamin B ₁₂	5 mg/kg
Calcium - Pantothenate	2,000 mg/kg
Niacinamide (3a315)	10,000 mg/kg
Vitamin K ₃	1,000 mg/kg
Folic acid	500 mg/kg
d-Biotin	40 mg/kg
Sensory Additives	
Aromatic Mixtures	150,000 mg/kg
Carrier Agents	
Lactose (8.9.1)	79.99%



PRESENTATION: It is available in 50 g plastic jar in cardboard box, net 50 g. (provided with 2 g measuring spoon)



BIYO POWERCURE

DOG-VIT ONE-A-DAY

MULTIVITAMIN TABLET FOR DOGS 60 Tablets



USAGE AREA: DOG-VIT One-A-Day Tablet meets the vitamin needs of puppies, adult dogs, and pregnant dogs. It reduces the hair damage and loss and ensures that the hair looks brighter. It increases the milk yield of breastfeeding females. It helps fast growth of cubs.

POSOLOGY:

For Puppies and Small Breed Dogs : 1 meal food/formula that weighs 100 g - 1 Tablet a day
 For Adult and Pregnant Dogs : 1 meal food/formula that weighs 150 g - 2 Tablets a day
 For Large Breed Dogs : 1 meal food/formula that weighs 250 g - 3 Tablets a day



Ingredients	
Nutritional Additives	
Vitamins	
Vitamin A (E672)	8,000,000 IU/kg
Vitamin D ₃ (E671)	300,000 IU/kg
Vitamin E (3a700)	40,000 mg/kg
Vitamin C(E300)	11,000 mg/kg
Vitamin B ₁	2,000 mg/kg
Vitamin B ₂	2,800 mg/kg
Vitamin B ₆	2,000 mg/kg
Vitamin B ₁₂	0.020 mg/kg
Calcium - Pantothenate	4,000 mg/kg
Niacinamide (3a315)	30,000 mg/kg
Vitamin K ₃	3,000 mg/kg
Folic acid	200 mg/kg
d-Biotin	40 mg/kg
Sensory Additives	
Aromatic Mixtures	30.000 mg/kg
Carrier Agents	
Lactose (8.9.1)	80.64%
Magnesium Stearate (13.6.4)	1.0%



PRESENTATION: 60 units of 500 mg tablet in plastic jar, net 30 g.



BIYO POWERCURE
CAT-VIT

MULTIVITAMIN - POWDER FOR CATS
50 g



USAGE AREA: CAT-VIT is a powder vitamin premix prepared to meet daily vitamin needs of cats, and to ensure healthy growth of kittens.

POSOLOGY: Mixed into approximately 100 g cat food or formula for one meal.

For kittens : 1 g a day
For adult cats : 2 g a day



Ingredients	
Nutritional Additives	
Vitamins	
Vitamin A (E672)	4,000,000 IU/kg
Vitamin D ₃ (E671)	100,000 IU/kg
Vitamin E (3a700)	5,000 mg/kg
Vitamin C(E300)	10,000 mg/kg
Vitamin B ₁	2,000 mg/kg
Vitamin B ₂	2,000 mg/kg
Vitamin B ₆	2,000 mg/kg
Vitamin B ₁₂	5 mg/kg
Calcium - Pantothenate	2,000 mg/kg
Niacinamide (3a315)	10,000 mg/kg
Vitamin K ₃	1,000 mg/kg
Folic acid	500 mg/kg
d-Biotin	40 mg/kg
Sensory Additives	
Aromatic Mixtures	150,000 mg/kg
Carrier Agents	
Lactose (8.9.1)	80.64%



PRESENTATION: It is available in 50 g plastic jar in cardboard box, net 50 g (together with 2 g measuring spoon).



BIYO POWERCURE
CAT-VIT
ONE-A-DAY

MULTIVITAMIN TABLET FOR CATS
60 Tablets



USAGE AREA: CAT-VIT One-A-Day Tablet meets the vitamin needs of kittens, adult cats, and pregnant cats. It reduces the hair damage and loss and ensures that the hair looks brighter. It increases the milk yield of breastfeeding females. It helps fast growth of cubs.

POSOLOGY:

For Kittens : 1 meal food/formula that weighs 50 g - 1 tablet a day
 For Adult and Pregnant Cats : 1 meal food/formula that weighs 100 g - 2 tablets a day



Composition	
Nutritional Additives	
Vitamins	
Vitamin A (E672)	8,000,000 IU/kg
Vitamin D ₃ (E671)	200,000 IU/kg
Vitamin E (3a700)	40,000 mg/kg
Vitamin C(E300)	11,000 mg/kg
Vitamin B ₁	2,000 mg/kg
Vitamin B ₂	2,800 mg/kg
Vitamin B ₆	2,000 mg/kg
Vitamin B ₁₂	0.020 mg/kg
Calcium - Pantothenate	4,000 mg/kg
Niacinamide (3a315)	20,000 mg/kg
Vitamin K ₃	3,000 mg/kg
Folic acid	200 mg/kg
d-Biotin	40 mg/kg
Sensory Additives	
Aromatic Mixtures	30.000 mg/kg
Carrier Agents	
Lactose (8.9.1)	81.66%
Magnesium Stearate (13.6.4)	1.0%



PRESENTATION: 60 units of 500 mg tablet in plastic jar, net 30 g.



BIYO POWERCURE
CALCIVIT-D

**CALCIUM PHOSPHOROUS VITAMIN D₃
 FOR CATS AND DOGS
 50 g**



USAGE AREA: CALCIVIT-D is vitamin D₃ - Calcium - Phosphorous premix for dogs, cats, puppies, and kittens. It meets daily vitamin D₃, calcium, and phosphorus needs of animals, and ensures healthy growth of puppies and kittens.

POSOLOGY:

Mixed in formulas and food of kittens as follows :1 g /75 g feed
 Mixed in formulas and food of adult cats as follows :2 g /150 g feed
 Mixed in formulas and food of puppies as follows :1 g /75 g feed
 Mixed in formulas and food of small breed dogs as follows :2 g /200 g feed
 Mixed in formulas and food of large breed dogs as follows :3 g /250 g feed



Ingredients	
Nutritional Additives	
Vitamins	
Vitamin D ₃ (E671)	150,000 IU/kg
Carriers	
Dicalcium phosphate	
Phosphor	17.99%
Calcium	24.99%



PRESENTATION: It is available in 50 g plastic jar in cardboard box, net 50 g (together with 2 g measuring spoon).



BIYO POWERCURE

CALCIVIT-D ONE-A-DAY


**CALCIUM - PHOSPHOROUS
VITAMIN POWDER D₃ FOR CATS AND DOGS
60 Tablets**



USAGE AREA: CALCIVIT-D One-A-Day Tablet meets the calcium, phosphorus, and vitamin D₃ needs of young, adult, and pregnant cats and dogs. It makes contribution to healthy bone structure.

POSOLOGY:

For kittens and adult cats	: 1 meal food/formula that weighs 100 g - 1 tablet a day
For pregnant, lactating, and old cats	: 1 meal food/formula that weighs 150 g - 2 tablets a day
For puppies and small breed dogs	: 1 meal food/formula that weighs 150 g - 2 tablets a day
For pregnant, lactating, and old dogs	: 1 meal food/formula that weighs 200 g - 3 tablets a day
For large breed dogs	: 1 meal food/formula that weighs 300-500 g - 3-5 tablets a day



Ingredients	
Vitamins	
Vitamin D ₃ (E671)	125,000 IU/kg
Sensory Additives	
Aromatic Mixtures	100,000 mg/kg
Carrier Agents	
Dicalcium phosphate (11.3.1)	55.500%
Magnesium stearate (13.6.4)	0.371%
Lactose (8.9.1)	34.104%

PRESENTATION: 60 units of 500 mg tablet in plastic jar, net 30 g.



BIYO POWERCURE

BREWER'S YEAST ONE-A-DAY

BREWER'S YEAST TABLET WITH GARLIC FOR CATS AND DOGS 60 Tablets



USAGE AREA: Supplemented with garlic powder, BREWER'S YEAST One-A-Day tablet is the source of protein, trace minerals, and B-complex vitamins. It increases the appetite of cats and dogs. It provides more vitamins, reduces the hair damage and loss, and ensures that the hair looks brighter. It preserves the stomach and intestinal microflora. It increases the milk yield of breastfeeding females.

POSOLOGY:

For kittens	1 meal food/formula that weighs 50 g	1 tablet a day
For adult cats	1 meal food/formula that weighs 100 g	2 tablets a day
For puppies and small breed dogs	1 meal food/formula that weighs 100-200 g	2 tablets a day
For large breed dogs	1 meal food/formula that weighs 300-500 g	3-5 tablets a day



Composition	
Nutritional Additives	
Vitamins	
Vitamin E (3a700)	12,000 mg/kg
Vitamin B ₂	370 mg/kg
Vitamin B ₆	35 mg/kg
Vitamin B ₁₂	7.5 mg/kg
Vitamin C	170 mg/kg
Calcium - Pantothenate	735 mg/kg
Niacinamide (3a315)	920 mg/kg
Folic acid	15 mg/kg
Carrier Agents	
Inactive brewer's yeast (12.1.15)	830,000 mg/kg
Garlic Powder (13.1.9)	10,000 mg/kg
Trace Elements	
Iron (E1)	1,670 mg/kg
Copper (E4)	185 mg/kg
Manganese (E5)	370 mg/kg
Zinc (E6)	2,750 mg/kg
Sensory Additives	
Aromatic Mixtures	30,000 mg/kg
Lactose (8.9.1)	7.0%
Magnesium Stearate (11.2.10)	2.0%

Analytical Ingredients	
Crude Protein	37%
Crude Cellulose	0%
Fat (Total)	19%
Crude Ash	6.5%

Ingredients List	
Whole milk powder	
Soy protein (non-GMO)	
Milk protein powder	

PRESENTATION: 60 units of 600 mg tablet in plastic jar, net 36 g.



BIYO POWERCURE
METHIO
ONE-A-DAY

**AMINO ACID AND VITAMIN TABLET
 FOR CATS AND DOGS
 60 Tablets**



USAGE AREA: METHIO tablet is a premix supplemented with amino acid, mineral and vitamins, which meets the protein needs of cats and dogs. It helps fast growth of cats and dogs. It accelerates hair generation. It supports muscle development by eliminating amino acid deficiency. It ensures that the cats and dogs benefit from the feed highly by supporting the digestive system and liver functions.

POSOLOGY:

For kittens	1 meal food/formula that weighs 50 g	0.5 tablet a day
For adult cats	1 meal food/formula that weighs 100 g	1 tablet a day
For dogs weighing up to 10 kg	1 meal food/formula that weighs 100-200 g	1 tablet a day
For dogs weighing up to 20 kg	1 meal food/formula that weighs 200-300 g	2 tablets a day
For dogs heavier than 30 kg	1 meal food/formula that weighs 300-500 g	3 tablets a day



Composition	
Nutritional Additives	
Vitamins	
Vitamin E (3a700)	26,700 g/kg
Vitamin B ₁	6,667 g/kg
Vitamin B ₂	6,667 g/kg
Vitamin B ₆	6,667 g/kg
Vitamin C (E300)	21,330 g/kg
Calcium-d-Pantothenate	10,000 g/kg
Folic Acid	0.0040 g/kg
Vitamin B ₁₂	0.0134 g/kg
Vitamin K ₃	0,667 g/kg
Trace Elements	
Zinc (E6)	4,000 g/kg
Amino Acids	
DL-Methionine (3c301)	333,400 g/kg
Sensory Feed Additives	
Aromatic Agents	
Aromatic Mixtures	7,350 g/kg
Feed Stuff	
Sorbitol (13.5.5)	366,600 g/kg
Lactose (8.9.1)	182.6346 g/kg
Magnesium Stearate (13.6.4)	27.300 g/kg



PRESENTATION: 60 units of 750 mg tablet in plastic jar, net 45 g.



BIYO POWERCURE

BIYOFLEX

ONE-A-DAY

**PELVIS AND JOINT ENHANCER
VITAMIN TABLET FOR CATS AND DOGS
30 Tablets**



USAGE AREA: Biyo Powercure BIYOFLEX One-A-Day Tablet contains glucosamine HCL, chondroitin sulfate, and methylsulfonylmethane. Biyo Dermacure BIYOFLEX One-A-Day tablet is a product produced to protect and strengthen the physiological structure of the joints and cartilaginous tissue of cats and dogs, and to increase and facilitate the mobility of old cats and dogs.

POSOLOGY:

Cat - Dog KG	Initial dose for 4-6 Weeks	Maintenance dose after 6 weeks
Cats & dogs weighing up to 8 kg	1/2 tablet a day	1/2 tablet every other day
Cats & dogs weighing up to 15 kg	1 tablet a day	1/2 tablet a day
Dogs weighing up to 30 kg	2 tablets a day	1 tablet a day
Dogs heavier than 30 kg	3 tablets a day	2 tablets a day

Mix with 100 g food or administer directly.



Composition	
Additives (in 1 kg)	
Trace elements	
Manganese (Manganese Sulfate) (E 5)	2,803 g/kg
Sensory Additives	
Aromatic mixtures	55.56 g/kg

Feed Stuff	g/kg	1 tablet (1,8 g)
Glucosamine HCl (13.2.8)	333,360	600 mg
Chondroitin sulfate (13.7.1)	166,680	300 mg
Methylsulfonyl Methane Sulfate (MSM)(13.9.1)	166,680	300 mg

Analytical Ingredients	
Crude Protein	0.014%
Crude Cellulose	0%
Crude Fat	0%
Crude Ash	14%

Ingredients List
Lactose
Sorbitol
Magnesium stearate
Chondroitin sulfate
Glucosamine HCl
Methylsulfonylmethane

PRESENTATION: 30 units of 1800 mg tablet in plastic jar, net 54 g.



BIYO POWERCURE

BIYOTAN ONE-A-DAY

VITAMIN TABLET FOR CATS AND DOGS
60 Tablets



USAGE AREA: BIYOTAN One-A-Day tablet meets the d-biotin needs of cats and dogs. It reduces the hair damage and loss and ensures that the hair looks brighter.

POSOLOGY:

- For kittens and adult cats : 1 meal food/formula that weighs 100 g - 1 tablet a day
- For puppies and small breed dogs : 1 meal food/formula that weighs 150 g - 2 tablets a day
- For medium breed dogs : 1 meal food/formula that weighs 200 g - 3 tablets a day
- For large breed dogs : 1 meal food/formula that weighs 300-500 g - 3-5 tablets a day



Composition	
Nutritional Additives	
Vitamins	
d-Biotin	12,500 mg/kg
Sensory Additives	
Aromatic Mixtures	300,000 mg/kg
Carrier Agents	
Sorbitol (13.5.5)	18.21%
Lactose (8.9.1)	48.79%
Magnesium Stearate (13.6.4)	1.75%

PRESENTATION: 60 units of 400 mg tablet in plastic jar, net 24 g.



BIYO POWERCURE
ANESTAN
ONE-A-DAY

**NERVOUS SYSTEM SUPPORT TABLET
 FOR CATS AND DOGS
 30 Tablets**



USAGE AREA: Biyo Powercure ANESTAN One-A-Day Tablet is a supplementary feed tablet that contains the Vitamins B₁, B₃, B₆ and L-tryptophan, one of the amino acids the animals cannot synthesize within their own bodies and thus need to take externally together with their feeds, so that the cats and dogs can have a healthy nervous system. Biyo Powercure Anestan tablet helps cats and dogs to have a healthy nervous system and adapt to environmental and location changes. With this feature, it helps cats and dogs adapt to a new house as well as calm them down when they are alone at home, when it is stormy and thunderous, while on the way to veterinary physician, and during travels by car or airplane.

POSOLOGY:

	Long-term applications: Adaptation to new house	Short-term applications: Being alone, thunder, long journeys, on the way to veterinary physician
Cats	½ tablet, 2 times a day	½ tablet 12 hours and 2 hours before the incident, and ½ tablet every 6 hours during the incident
Dogs lighter than 10 kg	½ tablet, 2 times a day	½ tablet 12 hours and 2 hours before the incident, and ½ tablet every 6 hours during the incident
10 kg-25 kg dog	1 tablet, 2 times a day	1 tablet 12 hours and 2 hours before the incident, and 1 tablet every 6 hours during the incident
Dog that weighs 25 kg and more	1 tablet, 2 times a day	2 tablets 12 hours and 2 hours before the incident, and 2 tablets every 6 hours during the incident



Composition	
Nutritional Additives	
Amino Acids	
L-tryptophan (3.4.1)	250,000 mg/kg
Vitamins	
Vitamin B ₁	10,000 mg/kg
Vitamin B ₃ (3a314)	20,000 mg/kg
Vitamin B ₆	20,000 mg/kg
Sensory Additives	
Aromatic Mixtures	120,000 mg/kg
Analytical Ingredients	
Crude Protein	29.1%
Crude Ash	5.4%
Crude Cellulose	2.1%
Crude Fat	1.6%
Ingredients List	
Lactose, Sorbitol, Magnesium stearate	



PRESENTATION: 25 units of 500 mg tablet in blister package, net 12.5 g.



BIYO POWERCURE CAT-FORMULA

SUPPLEMENTARY FEED FOR KITTENS 200 g



USAGE AREA: Biyo Powercure CAT-FORMULA is a supplementary feed prepared to meet the special needs of the sensitive stomachs of the kittens orphaned, weaned prematurely, or whose mothers just do not have sufficient milk. Prepared on the basis of the natural breast milk and enhanced with the natural substances like vitamins, minerals, L-Carnitine, and taurine, CAT-FORMULA is ideal especially for the younglings until they become 3 months old. Besides, it is also used to feed mother cats during their pregnancy and breastfeeding periods and old cats. It is used as a flavoring agent during the kittens' transition to solid formula.

POSOLOGY:

Use of the prepared Biyo Powercure CAT-FORMULA mix:

		Meal Order
From birth to the week 2	~1 measuring spoon - 5 g	Every 2 hours, night and day
Week 1 and week 3	~2 measuring spoons - 10 g	Every 2 hours from 6 o'clock to 24 o'clock
Week 3 and week 4	~3 measuring spoons - 15 g	Every 3 hours from 6 o'clock to 24 o'clock
After week 4 Increase accordingly, and start to give solid formula.		4-6 times during the day
Adult cats	~3-4 measuring spoons - 15-20 g	When needed.



Composition	
Additives (in 1 kg)	
Vitamins	
Vitamin A (E672)	20,000 IU/kg
Vitamin D ₃ (E671)	2,000 IU/kg
Vitamin B ₁	10 mg/kg
Vitamin B ₂	10 mg/kg
Vitamin B ₆	8 mg/kg
Vitamin B ₁₂	0.06 mg/kg
Niacinamide (E3a315)	80 mg/kg
Calcium Pantothenate	20 mg/kg
Vitamin K ₃	0.2 mg/kg
Folic acid	2 mg/kg
d-Biotin	0.2 mg/kg
Taurine	1,000 mg/kg
L-Carnitine	400 mg/kg
Trace Elements	
Fe (Ferrous sulphate heptahydrate 20%) E1	90 mg/kg
Zn (Zinc sulphate monohydrate 35%) E6	50 mg/kg
Mn (Manganese sulphate monohydrate 32%) E5	5 mg/kg
I (Potassium iodide 75%) E2	1 mg/kg
Se (Sodium selenite 45%) E8	0.1 mg/kg

Analytical Ingredients	
Crude Protein	41%
Crude Cellulose	0%
Fat (Total)	19.7%
Crude Ash	5.6%

Ingredients List	
Whole milk powder	
Soy protein (non-GMO)	
Milk protein powder	

PRESENTATION: In PE jars together with 5 ml measuring spoon, net 200 g



BIYO POWERCURE DOG-FORMULA

SUPPLEMENTARY FEED FOR PUPPIES

200 g




USAGE AREA: Biyo Powercure DOG-FORMULA is a supplementary feed prepared to meet the special needs of the sensitive stomachs of the puppies orphaned, weaned prematurely, or whose mothers just do not have sufficient milk. Prepared on the basis of the natural breast milk and enhanced with the natural substances like vitamins, minerals, L-Carnitine, and taurine, DOG-FORMULA is ideal especially for the younglings until they become 3 months old. Besides, it is also used to feed mother dogs during their pregnancy and breastfeeding periods and old dogs. It is used as a flavoring agent during the puppies' transition to solid formula.

POSOLOGY:

Use of the prepared Biyo Powercure DOG-FORMULA mix:

	Small Breeds	Large Breeds	Meal Order
From birth to the week 1	~1 measuring spoon - 5 g	~2 measuring spoons - 10 g	Every 2 hours, night and day
Week 1 and week 3	~2 measuring spoons - 10 g	~6 measuring spoons - 30 g	Every 2 hours from 6 o'clock to 24 o'clock
Week 3 and week 6	~4 measuring spoons - 20 g	~25 measuring spoons - 125 g/1.5 tea glass	Every 3 hours from 6 o'clock to 24 o'clock
After week 6	~8 measuring spoons - 40 g	~45 measuring spoons - 225 g /1 water glass	Every 4 hours from 8 o'clock to 24 o'clock
Adult dogs	~8 measuring spoons - 40 g	~45 measuring spoons - 225 g /1 water glass	When needed.



Composition

Additives (in 1 kg)

Vitamins

Vitamin A (E672)	20,000 IU/kg
Vitamin D ₃ (E671)	2,000 IU/kg
Vitamin E	100 mg/kg
Vitamin C	100 mg/kg
Vitamin B ₁	10 mg/kg
Vitamin B ₂	10 mg/kg
Vitamin B ₆	8 mg/kg
Niacinamide (E3a315)	80 mg/kg
Vitamin B ₁₂	0.06 mg/kg
Calcium pantothenate	20 mg/kg
Vitamin K ₃	3 mg/kg
Folic acid	2 mg/kg
d-Biotin	0.2 mg/kg
Taurine	1,000 mg/kg
L-Carnitine	400 mg/kg

Trace Elements

Fe (Ferrous sulphate heptahydrate 20%) E1	90 mg/kg
Cu (Copper sulphate pentahydrate 25%) E4	5 mg/kg
Zn (Zinc sulphate monohydrate 35%) E6	50 mg/kg
Mn (Manganese sulphate monohydrate 32%) E5	5 mg/kg
I (Potassium iodide 75%) E2	1 mg/kg
Se (Sodium selenite 45%) E8	0.1 mg/kg

Analytical Ingredients

Crude Protein	37%
Crude Cellulose	0%
Fat (Total)	19%
Crude Ash	6.5%

Ingredients List

Whole milk powder
Soy protein (non-GMO)
Milk protein powder

PRESENTATION: In PE jars together with 5 ml measuring spoon, net 200 g

ORNAMENTAL AND CAGE BIRDS

• CARE PRODUCTS • PREMIXES





BITTER BEAK

SPRAY - ANTI-CANNIBALISM
100 ml - 250 ml



COMPOSITION: BITTER BEAK contains Denatonium benzoate.

USAGE AREA: Although it can emerge in consequence of dietary nutrition disorders and hormonal effects or as a reaction to infestations caused by mites and the other skin and feather parasites, the feather plucking in birds is observed mostly as a reaction to boring and inactive social and living conditions. BITTER BEAK Spray is very bitter due to its formulation and used to prevent feather-plucking observed in parrots and the other cage birds, roosting birds, and large cage birds. BITTER BEAK Spray also helps prevent the birds from pecking at their wounds, wound dressings, and veterinary dressings.

POSOLGY AND DOSAGE: Spray BITTER BEAK Spray mildly onto the bird's affected feather area, the dressing region, around the wound. One application a day generally prevents the feather-plucking problem. If the problem continues, however, repeat the application as long as necessary. If the spray application is discomforting for the bird, firstly, wear a glove, spray the product on your finger, and spread it on the affected region by touching mildly.



PRESENTATION: It is available in 100 ml and 250 ml PE bottles with pump.



AVISENCID

SOLUTION - SKIN AND FEATHER CARE PRODUCT
10cc - 20 cc - 30 cc



COMPOSITION: AVISENCID is a solution that contains tea tree oil, cinnamon oil, moisturizing oil, and lavender oil.

USAGE AREA: AVISENCID is a skin and feather care product prepared for pigeons and the cage birds like canary, parakeet, and parrot. Thanks to moisturizing effects of the essential oils it contains, it helps preserve the pH/moisture balance of skin without causing loss of the natural oil of skin, gives the animal's skin a soft, bright and natural liveliness without irritating it. It prevents the skin from being infected. It can be used for skins allergic to flea, tick and louse bites. It treats the skin irritation caused by fleas, ticks, and lice. It's an adjuvant therapy to main treatment for eliminating the scabs, warts, etc. emerging as a result of certain skin diseases. It ensures that the bird smells good by eliminating the bad odor without affecting the bird's normal flora.

POSOLOGY AND DOSAGE: Applied topically (directly to the skin). Apply 1 drop of AVISENCID per 60 g weight behind the neck, between the shoulders of the bird.



PRESENTATION: It is available in 10 cc, 20 cc, and 30 cc PE dropping bottles in cardboard box.



BIYO DERMACURE HERBIO
AVISPRAY

**SOLUTION FOR SPRAY
SKIN & FEATHER CARE PRODUCT
50 ml - 100 ml - 150 ml - 200 ml**



COMPOSITION: Biyo Dermacure HERBIO Avispray is a colorless solution that contains palmarosa oil.

USAGE AREA: Biyo Dermacure HERBIO Avispray contains the natural Palmarosa oil that is obtained from the Cymbopogon martinii plant. Used in alternative medicine in the East, India in particular, Palmarosa oil provides the cage birds and pigeons with healthy and bright skin and feathers thanks to its moisturizing effect. It maintains the natural oil balance of skin. It prevents the skin from being infected. Biyo Dermacure HERBIO Avispray also helps treat the wounds and bruises caused by self-pecking and feather-plucking (cannibalism) behaviors of cage birds. It treats the skin irritation caused by fleas, ticks, and lice.

POSOLOGY AND DOSAGE: Spray the product onto the skins and feathers of cage birds and pigeons from a distance of 15 cm. You can repeat the process 15 days later if necessary.



PRESENTATION: It is available in 50 ml, 100 ml, and 150 ml pressurized tin cans as well as 200 ml PE bottles with pump.



AVI-AST

**SOLUTION - RESPIRATORY SYSTEM ENHANCER
FOR CAGE BIRDS
30 cc**



USAGE AREA & INTENDED USE: AVI-AST Solution meets the vitamin C need in nutrition of pigeons and the cage birds like parakeet, canary, and parrot. Thanks to its antioxidant effect, it contributes to boosting of the body resistance. It is an aromatic feed supplement that supports the respiratory system in case of common cold by boosting the immune system.

POSOLOGY: For one bird, add 15 drops into a medium-sized waterer (100 cc). For pigeons, add 30 drops into a medium-sized waterer (100 cc). Change the birds' drinking waters every other day. Add the above-mentioned amounts of AVI-AST Solution into the replenished water.



Composition	
Nutritional Feed Additives	
Vitamins	
Vitamin C (3a300)	7,500 mg/kg
Technological Additives	
Sodium methyl -4-hydroxybenzoate (E219)	0.1%
Antioxidants	
Butylhydroxytoluene (BHT)(E321)	0.1%
Emulgators, stabilizers, and thickeners	
Glycerol polyethylene glycol ricinoleate (E484)	4.8%
Sensory Additives - Natural Products	
Eucalyptus oil	1.2%
Feed Stuff	
Propolis (9.3.1)	1.2%
Carrier Agents	
Glycerin (13.8.2)	2.0%
Deionized water	89.75%



PRESENTATION: It is available in 30 cc PE dropping bottles in cardboard box.



AVI-DIAR

SOLUTION DIGESTIVE SYSTEM ENHANCER FOR CAGE BIRDS 30 cc



USAGE AREA & INTENDED USE: AVI-DIAR Solution meets the need for minerals like iron and zinc in nutrition of pigeons and the cage birds like parakeet, canary, and parrot. It contributes to development of the immune and digestive systems. It is an aromatic feed supplement that helps prevent diarrhea by strengthening and balancing the intestinal flora.

POSOLOGY: For one bird, add 15 drops into a medium-sized waterer (100 cc). For pigeons, add 30 drops into a medium-sized waterer (100 cc). Change the birds' drinking waters every other day. Add the specified amounts of AVI-DIAR Solution into the replenished water.



Composition	
Nutritional Feed Additives	
Trace Elements	
Iron (Ferrous Sulphate Monohydrate) (E1)	2 mg/kg
Zinc (Zinc Sulphate Heptahydrate) (3b604)	1.4 mg/kg
Technological additives	
Preservatives	
Sodium methyl-4-hydroxybenzoate (E219)	0.1%
Antioxidants	
Butylhydroxytoluene (BHT)(E321)	0.05%
Emulgators, stabilizers, and thickeners	
Glycerol polyethylene glycol ricinoleate (E484)	3.0%
Sensory Additives	
Natural Products	
Coconut oil	2.0%
Feed Stuff	
Propolis (9.3.1)	2.0%
Pectin (5.27.1)	0.2%
Carrier Agents	
Glycerin (13.8.2)	2.0%
Deionized water	90.65%



PRESENTATION: It is available in 30 cc PE dropping bottles in cardboard box.



AVISOL-A

SOLUTION - VITAMIN FOR BIRDS 20 cc



USAGE AREA: AVISOL-A solution meets the need for the vitamins A, D, E, and C in nutrition of the ornamental and cage birds like pigeon, parakeet, parrot, and canary. It helps the birds have healthy reproductive, muscular, circulatory, nervous and immune systems. It shortens the moulting season by supporting the feathering of adult birds.

POSOLOGY: Add 2.5 cc into the medium-sized waterer (100 cc) of the cage birds like parakeet, canary, and parrot. During reproduction and egg laying periods of the female and male birds, add 5 cc into a medium-sized waterer (100 cc) for one bird. Change the birds' drinking waters every other day. Add the above-mentioned amounts of AVISOL-A into the replenished water.



Composition

Nutritional Feed Additives

Vitamins

Vitamin A (3a672a)	400,000 IU/kg
Vitamin D ₃ (3a671)	40,000 IU/kg
Vitamin E (3a700)	3,000 mg/kg
Vitamin C (3a300)	15,000 mg/kg

Technological Additives - Preservatives

Sodium methyl-4-hydroxybenzoate (E219)	1.0%
--	------

Antioxidants

Butylhydroxytoluene (BHT) (E321)	0.5%
----------------------------------	------

Emulgators

Glyceryl polyethylene glycol ricinoleate (E484)	5.0%
---	------

Carrier Agents

Glycerin (13.8.2)	2.0%
Deionized water	90.52%

PRESENTATION: It is available in 20 cc brown glass bottles in cardboard boxes.



AVISOL-B

SOLUTION - VITAMIN B-COMPLEX FOR BIRDS 30 cc



USAGE AREA: AVISOL-B meets the vitamin needs of the ornamental and cage birds like pigeon, parakeet, canary, and parrot, particularly the vitamin B need of the pigeons. It ensures that the birds have a healthy nervous system. It protects the parrots against stress in particular. It contributes to prevention of the muscular paralysis that is observed especially in the legs and caused by vitamin B deficiency.

POSOLGY: For one bird, add 10 drops into 50 cc drinking water. For pigeon and big parrot, add 2.5 cc into a medium-sized waterer (100 cc). Change the birds' drinking waters every day. Add the appropriate amount of AVISOL-B solution again into the replenished water.



Composition	
Nutritional Feed Additives	
Vitamins	
Vitamin B ₁ (3a820)	1,000 mg/kg
Vitamin B ₂	1,000 mg/kg
Vitamin B ₆ (3a831)	1,000 mg/kg
Vitamin B ₁₂	0.5 mg/kg
Niacinamide (3a315)	5,000 mg/kg
d-Panthenol (3a842)	1,250 mg/kg
Folic acid	35 mg/kg
d-Biotin (3a880)	5 mg/kg
Technological Additives - Stabilizers - Thickeners	
Polyoxyethylene (20) Sorbitan Monooleate (E433)	0.5%
Sorbitol (E420)	10%
Preservatives	
Sorbic Acid (E200)	0.5%
Sodium methyl 4-hydroxybenzoate (E219)	0.1%
Sodium propyl 4-hydroxybenzoate (E217)	0.05%
Carrier Agents	
Glycerin (13.8.2)	20%
Deionized water	68.34%



PRESENTATION: It is available in 30 cc PE dropping bottles in cardboard box.



AVISOL-PLUS

SOLUTION - MULTIVITAMIN FOR BIRDS 20 cc



POSOLOGY AND PROSPECTUS: AVISOL-PLUS meets the vitamin needs of the ornamental and cage birds like pigeon, parakeet, parrot, and canary, and affects their development positively. It ensures that they have lively and bright colors.

- For one bird, add 2.5 cc into a medium-sized waterer (100 cc).
- During reproduction and egg laying periods of the female and male birds, add 5 cc into a medium-sized waterer (100 cc) for one bird.
- During the moulting season, add 5 cc for one bird into a medium-sized waterer (100 cc).

Change the birds' drinking waters every day. Add the above-mentioned amounts of AVISOL-PLUS into the replenished water.



Composition	
Nutritional Additives	
Vitamins	
Vitamin A (E672)	1,000,000 IU/kg
Vitamin D ₃ (E671)	40,000 IU/kg
Vitamin E (3a700)	3,000 mg/kg
Vitamin C (E300)	20 mg/kg
Vitamin K ₃	200 mg/kg
Vitamin B ₁	600 mg/kg
Vitamin B ₂	1,000 mg/kg
Vitamin B ₁₂ (Cyanocobalamin)	4 mg/kg
Niacinamide (3a315)	10,000 mg/kg
d-Panthenol	2,500 mg/kg
Vitamin B6	1,000 mg/kg
d-biotin	0.05 mg/kg
Folic acid (3a316)	50 mg/kg
Technological Additives - Emulgators	
Glyceryl polyethylene glycol ricinoleate (E484)	15%
Preservatives	
Sodium methyl 4-hydroxybenzoate (E219)	0.2%
Citric acid (E330)	0.1%
Antioxidants	
Butylhydroxytoluene (E321)	0.1%
Carrier Agents	
Glycerin (13.8.2)	10%
Deionized water	72.58%



PRESENTATION: It is available in 20 cc glass bottles in cardboard boxes.



AVISOL-SE

SOLUTION - VITAMIN-E AND SELENIUM FOR BIRDS 30 cc



USAGE AREA: AVISOL-SE is a feed supplement prepared to add into drinking waters of pigeons and the cage birds like parakeets, canaries, and parrots, which eliminates their Vitamin-E, Vitamin-H (biotin), and selenium mineral deficiencies. Vitamin-E is an antioxidant vitamin that ensures that the reproductive, muscular, circulatory, nervous and immune systems of animals are healthy. Giving it together with selenium increases this effect more. Giving vitamin-E and selenium together as supplement helps animals adapt to the negative conditions around them by increasing their body defenses. Thanks to its above-mentioned characteristics, AVISOL-SE helps reproduction, egg laying, hatching, and fast growth of the hatchlings of cage birds and pigeons, as is the case with all animals.

Besides, since it contains Vitamin-H (biotin), it prevents talon breakage, incrustation and cracks on beaks, feet soles, and digits, moulting, and color loss.

POSOLOGY: Add 1 cc (20 drops) into the 100 cc waterer of the cage birds like parakeet, canary, and parrot; for pigeons, add 1 cc (20 drops) per pigeon into their drinking water. Using this product starting from 3-4 weeks before the beginning of the breeding season through egg-laying to brooding increases the rate of fertilized eggs, and thus the hatching rate. When the egg-laying begins, you can increase the usage amount up to 2-fold. Change the birds' drinking waters every day. Add the above-mentioned amounts of AVISOL-SE into the replenished water.



Composition	
Nutritional Feed Additives	
Vitamins	
Vitamin E (3a700)	100,000 mg/kg
Vitamin B ₇ (3a880) (Biyotin)	80 mg/kg
Trace Elements	
Sodium Selenite (E8)	40 mg/kg
Emulgators	
Glyceryl Polyethylene Glycol Ricinoleate (E484)	15%
Preservatives	
Sodium methyl 4-hydroxybenzoate (E219)	0.2%
Citric acid (E330)	0.1%
Antioxidants	
Butylhydroxytoluene (E321)	0.1%
Carrier Agents	
Glycerin (13.8.2)	10%
Deionized water	73.50%



PRESENTATION: It is available in 30 cc PE dropping bottles in cardboard box.



AVIMINERAL

SOLUTION - MINERAL FOR BIRDS 30 cc



POSOLOGY AND PROSPECTUS: AVIMINERAL meets the daily mineral needs of pigeons and the cage birds like parakeet, parrot, and canary; affects the baby birds' development positively and ensures their growth; shortens the moulting season by supporting the feathering of adult birds; and protects the liveliness of their colors.

- For parakeets, canaries, and parrots, add 50 drops (2.5 cc) into drinking water amount 1 bird can consume in one day, i.e. approximately half of a medium-sized waterer (50 cc), once every two days.
- For pigeons, add 100 drops (5 cc) into drinking water amount 1 pigeon can consume in one day (100 cc) once every two days.
- Change the birds' drinking waters every other day. Add the above-mentioned amounts of AVIMINERAL again into the replenished water.



Composition	
Nutritional Additives	
Trace Elements	
Iron (E1)	2.000 mg/kg
Iodine (E2)	1,000 mg/kg
Cobalt (3b802)	0.200 mg/kg
Copper (E4)	0.200 mg/kg
Manganese (E5)	2.000 mg/kg
Zinc (E6)	1.400 mg/kg
Selenium (E8)	0.100 mg/kg
Minerals	
Magnesium (11.2.6)	0.010 mg/kg
Calcium (11.1.6)	0.600 mg/kg
Sodium (11.4.1)	0.080 mg/kg
Sensory Additives - Coloring Agents	
Canthaxanthin (E 161 g)	50.000 mg/kg
Carrier Agent	
Deionized water	99,948%



PRESENTATION: It is available in 30 cc PE dropping bottles in cardboard box.



AVI-VIT

MULTIVITAMIN FOR BIRDS - POWDER 50 g



POSOLOGY AND PROSPECTUS: AVI-VIT is a powder vitamin premix prepared to meet the daily vitamin needs of the ornamental and cage birds like pigeon, parakeet, parrot, and canary, and affect their development positively.

- Add 1 g into the medium-sized waterer (100 cc) of the cage birds like parakeet, canary, and parrot.
- For pigeons, add 2 g AVI-VIT to 250 cc drinking water.



Composition	
Nutritional Additives	
Vitamins	
Vitamin A (E672)	4,000,000 IU/kg
Vitamin D ₃ (E671)	200,000 IU/kg
Vitamin E (3a700)	4,000 mg/kg
Vitamin C (E300)	10,000 mg/kg
Vitamin B ₁	2,000 mg/kg
Vitamin B ₂	2,500 mg/kg
Vitamin B ₆	2,000 mg/kg
Vitamin B ₁₂	5 mg/kg
Calcium-pantothenate	3,000 mg/kg
Niacinamide (3a315)	10,000 mg/kg
Vitamin K3	1,000 mg/kg
Folic Acid	500 mg/kg
d-Biotin	40 mg/kg
Carrier Agent	
Lactose (8.9.1)	94.93%



PRESENTATION: It is available in 50 g PE jars in cardboard boxes.

FISH AND AQUARIUM





BIYO-AQUACURE

CONTRABLUE

SOLUTION - AQUARIUM WATER REGULATOR
50 ml - 100 ml




COMPOSITION: CONTRABLUE Solution contains Methylene Blue. It is a dark blue solution.

USAGE AREA: CONTRABLUE Solution ensures that the aquarium stays clean. It prevents transmission of the disease agents to healthy fish. CONTRABLUE Solution is also oxygen carrier and transforms methemoglobin in the fish blood into normal oxygen. Therefore, it prevents poisoning of the fish by nitrite and/or cyanide probable to emerge in the aquarium.

POSOLOGY AND DOSAGE:

- Before the application, remove the active carbon filter.
- On the first day, add 5 ml CONTRABLUE solution per 20 liters of aquarium water. This provides the 3 ppm concentration required for cleaning of the aquarium water.
- On days 2 and 3, continue to add 2.5 ml CONTRABLUE Solution into the aquarium (do not attach the active carbon filter during this process).
- At the end of the day 3, refresh the aquarium water by discharging half of it, and attach the active carbon filter back.



PRESENTATION: It is available in 50 ml, and 100 ml PE bottles together with measuring spoon in cardboard box.



BIYO-AQUACURE
CONTRA

SOLUTION - AQUARIUM WATER REGULATOR
30 ml - 50 ml - 100 ml - 1000 ml



COMPOSITION: CONTRA Solution contains 9-Amino-acridine HCl, Crystal violet, and Methylene Blue. It is a blue solution.

USAGE AREA: CONTRA Solution ensures that the aquarium stays clean. It prevents transmission of the disease agents to healthy fish. CONTRA Solution is also oxygen carrier and transforms methemoglobin in the fish blood into normal oxygen. Therefore, it prevents poisoning of the fish by nitrite and/or cyanide probable to emerge in the aquarium.

POSOLOGY AND DOSAGE:

- Add 10 cc CONTRA solution per 20 liters of aquarium water. This provides the concentration required for cleaning of the aquarium water.
- Repeat the application 3-4 times using the same amount every other day.
- After each application, keep the filter off for 3-4 hours to prevent discharge of the CONTRA solution from the aquarium water; you can turn on the filter again after this period.
- At the end of an approximately 1 week application, replace the dirty filter material (sponge or active carbon) with a new one.



PRESENTATION: It is available in 50 ml and 100 ml PE bottles together with 30 ml dropper and measuring tool in cardboard box as well as 1,000 ml PE bottles.



BIYO-AQUACURE

NITROFUR

SOLUTION - AQUARIUM WATER REGULATOR
50 ml - 100 ml - 1000 ml



COMPOSITION: NITROFUR Solution is a yellow aquarium water regulator that contains Isopropyl alcohol, Carboxymethyl Cellulose, 5-nitro-2-furaldehyde semicarbazone, and Crospovidone.

USAGE AREA: NITROFUR Solution regulates the aquarium water and ensures that it stays clean by ensuring that the parasitic and fungal infections cannot propagate in the aquarium water.

POSOLOGY AND DOSAGE:

- Add 5 ml NITROFUR solution per 20 liters of aquarium water. This provides the concentration required for cleaning of the aquarium water.
- Repeat the application for 3-4 days.
- After each application, keep the filter off for 3-4 hours to prevent discharge of the NITROFUR solution from the aquarium water; you can turn on the filter again after this period.
- At the end of the application, replace the dirty filter material (sponge or active carbon) with a new one.
- Repeat the application each time you refresh the aquarium water.

Nitrofur is an aquarium water regulator. It is not used in the pools and fish farms where fish is raised as food.



PRESENTATION: It is available in 50 ml, 100 ml, and 1000 ml PE bottles in cardboard box without internal package and measuring spoon.



VITAFISH

SOLUTION - MULTIVITAMIN FOR AQUARIUM FISH
20cc - 30cc - 50cc - 100cc - 125cc - 250cc - 500cc - 1000cc



USAGE AREA: VITAFISH is a vitamin solution for the aquarium ornamental fish. It is a solution premix prepared to affect the development of the ornamental fish in aquariums positively by providing vitamin supplement, ensure that their reproduction processes start earlier, and restore their pale colors to their previous liveliness.

POSOLOGY AND DOSAGE: Add 5 drops into 20 l aquarium water or fish feed for 1 day.



Composition	
Nutritional additives	
Vitamins	
Vitamin A (E672)	5,000,000 IU/kg
Vitamin D ₃ (E671)	500,000 IU/kg
Vitamin E (3a700)	5,000 mg/kg
Vitamin C (E300)	50,000 mg/kg
Vitamin K ₃	1,000 mg/kg
Vitamin B ₁	2,000 mg/kg
Vitamin B ₂	2,000 mg/kg
Vitamin B ₁₂	5 mg/kg
Niacinamide (3a315)	10,000 mg/kg
d-Panthenol	5,000 mg/kg
Vitamin B ₆	2,000 mg/kg
d-biotin	10 mg/kg
Folic acid (3a316)	500 mg/kg
Technological Additives	
Emulgators and Stabilizers	
Glyceryl polyethylene glycol ricinoleate (E484)	7.5%
Polyoxyethylene (20) Sorbitan Monooleate (E433)	0.5%
Preservatives	
Sodium methyl-4-hydroxybenzoate (E219)	0.2%
Citric acid (E330)	0.2%
Antioxidants	
Butylhydroxytoluene (E321)	0.5%
Sensory Additives	
Coloring Agents (Carotenoids and Xanthophylls)	
Astaxanthin (E161J)	50 mg/kg
Carrier agents	
Glycerin (13.8.2)	10%
Deionized water	71.87%



PRESENTATION: It is available in 20 cc, 30 cc, 50 cc, 100 cc, 125 cc, 250 cc, 500 cc, and 1000 cc PE bottles.

NEW PRODUCTS





**HAIRBALL PREVENTIVE FOR CATS
SUPPLEMENTARY FEED
80 g - 100 g**



PRODUCT FEATURES AND USAGE AREAS: The cats lick their bodies frequently to clean themselves. In the meantime, they swallow the weak, broken, or almost broken hair follicles. The swallowed hair follicles may form a ball in the intestines in time and cause obstruction of the gastrointestinal system. FERMACAT facilitates the discharge of swallowed hair and the other indigestible components through natural excretion thanks to the malt and vegetable oils it includes. It is free of artificial dyes and sweeteners.

RECOMMENDED POSOLOGY: It may be administered by squeezing the tube directly into the cat's mouth or onto its paw as well as adding to its feed at the following dosages.

Intended Use	Frequency of Use	Amount of Use
Excretion of hairballs	Once a day	2.5 cm - 5 cm
Prevention of the formation of hairballs	2-3 times a week	2.5 cm - 5 cm



Ingredients	
Liquid Malt (Barley, Rye, Durum Wheat, 1.1.18)	40%
Solid Vegetable Oils (Palm, 2.20.1)	20%
Yeast (Inactive Brewer's Yeast, 12.1.12)	3%

Analytical Ingredients	
Crude protein	3.90%
Crude cellulose	1.485%
Fat Content	20.10%
Crude ash	0.31%
Moisture	22.23%

FEED ADDITIVES (KG)	
Technological Feed Additives	
Emulgators and Stabilizers	
Polyoxyethylene (20)-sorbitan monooleate (E433)	25,000 mg/kg
Glycerin (E422)	50,000 mg/kg
Liquid Lecithin (1c322i)	50,000 mg/kg
Preservatives	
Potassium sorbate (E202)	500mg/kg
Thickeners and Gelling Agents	
Ethylcellulose (E462)	15,000mg/kg
Sensory Additives	
Coloring agent	
Liquid Caramel (E150)	10,000 mg/kg



PRESENTATION: It is available in 80 g and 100 g aluminum-coated tubes.

since
1955



BIYOTEKNİK Inc.

Head Office: Kocatepe Mah. Cumhuriyet Cad. Inkilap Apt. No: 15 D: 2
P.C.: 34437 Beyoglu - Istanbul / TURKEY **Phone:** 0212 361 55 13

BT1 Factory: Kırklareli Organize Sanayi Bölgesi 5. Cad. No: 6/2 Kizilcikdere Koyu - Kırklareli / TURKEY

BT2 Factory: Kırklareli Organize Sanayi Bölgesi 5. Cad. No: 9 Kizilcikdere Koyu - Kırklareli / TURKEY

www.biyoteknik.com